



**15º RELATÓRIO CONSOLIDADO DE ANDAMENTO DO PBA E DO ATENDIMENTO DE
CONDICIONANTES**

12.3.8 PROJETO DE MONITORAMENTO DE MAMÍFEROS TERRESTRES

Anexo 12.3.8 - 4 – Referências Bibliográficas

ANEXO 12.3.8 - 4 – REFERÊNCIAS BIBLIOGRÁFICAS

- ALBUQUERQUE, U.P., LUCENA, R. P. & ALENCAR, N.L. 2008. Coleta de dados etnobotânicos. In, Albuquerque, U.P., Lucena, R. P. & Cunha, L.V.F.C. *Métodos e técnicas para a Pesquisa Etnobotânica*. 2^a ed. Recife, NUPEEA.
- ALFARO, J. W. L., BOUBLI, J. P., PAIM, F. P., RIBAS, C. C., DA SILVA, M. N. F., MESSIAS, M. R., & PINHO, G. M. 2015a. Biogeography of squirrel monkeys (genus *Saimiri*): South-central Amazon origin and rapid pan-Amazonian diversification of a lowland primate. *Molecular phylogenetics and evolution*, 82, 436-454.
- ALFARO, J. W. L., CORTÉS-ORTIZ, L., DI FIORE, A., & BOUBLI, J. P. 2015b. Comparative biogeography of Neotropical primates. *Molecular Phylogenetics and Evolution*, 82, 518-529.
- ALONSO, A.C. & CARVALHO, A. S. 2014. Avaliação do Risco de Extinção de *Chiropotes utahickae* Hershkovitz, 1985 no Brasil. ICMBio. Disponível em <http://www.icmbio.gov.br/portal/faunabrasileira/lista-de-especies/7329-mamiferos-chiropotes-utahickae-cuxiu>
- ANDRADE, F.A.G.; FERNANDES, M.E.B.; BARROS, M.C. & SCHNEIDER, H. 2006. A range extension for the yellow armadillo, *Euphractus sexcinctus* Linnaeus, 1758 (Xenarthra: Dasypodidae), in the eastern Brazilian Amazon. *Edentata*, 7: 25–30
- ANTUNES, A. P., FEWTER, R. M., VENTICINQUE, E. M., PERES, C. A., LEVI, T., ROHE, F., SHEPARD JR, G. H. 2016. Empty forest or empty rivers? A century of commercial hunting in Amazonia. *Sciences Advances*, 2: e1600936.
- BAGAGLI, E. 1998. Isolation of *Paracoccidioides brasiliensis* from armadillos (*Dasypus noveminctus*) captured in an endemic area of paracoccidioidomycosis. *The American journal of tropical medicine and hygiene*, v. 58, n. 4, p. 505-512.
- BARBOSA AD, MARTINS NR, MAGALHÃES DF. 2011 Zoonoses e saúde pública: riscos da proximidade humana com a fauna silvestre. *Cienc Vet Trop.*, 14:1-9.
- BARRIOS-GARCIA, M. N., & BALLARI, S. A. 2012. Impact of wild boar (*Sus scrofa*) in its introduced and native range: a review. *Biological Invasions*, 14(11), 2283-2300.
- BENCHIMOL M, PERES CA. 2013 Anthropogenic modulators of species-area relationships in Neotropical primates: a continental-scale analysis of fragmented forest landscapes. *Diversity and Distributions*, 19(11):1339-52.
- BENCHIMOL, M., PERES, C.A. 2014. Predicting primate local extinctions within “real-world” forest fragments: A Pan-Neotropical analysis. *American Journal of Primatology*, 76: 289-302.
- BENCHIMOL, M., PERES, C.A. 2015. Predicting local extinctions of Amazonian vertebrates in forest islands created by a mega dam. *Conservation Biology*, 187: 61-72.
- BONATO L, FIGUEIREDO MA, GONÇALVES LR, MACHADO RZ, ANDRÉ MR. 2015. Occurrence and molecular characterization of *Bartonella* spp. and hemoplasmas in

neotropical primates from Brazilian Amazon. *Comparative immunology, microbiology and infectious diseases*, 42:15-20.

BOTELHO, A. L., CALOURO, A. M., BORGES, L. H., & CHAVES, W. A. 2012. Large and medium-sized mammals of the Humaitá Forest Reserve, southwestern Amazonia, state of Acre, Brazil. *Check List*, 8(6), 1190-1195.

BROADBENT EN, ASNER GP, KELLER M, KNAPP DE, OLIVEIRA PJ, SILVA JN. 2008. Forest fragmentation and edge effects from deforestation and selective logging in the Brazilian Amazon. *Biological conservation*, 141(7):1745-57.

BUCKNER, J. C., ALFARO, J. W. L., RYLANDS, A. B., & ALFARO, M. E. 2015. Biogeography of the marmosets and tamarins (Callitrichidae). *Molecular Phylogenetics and Evolution*, 82, 413-425.

BUENO, C. G., BARRIO, I. C., GARCÍA-GONZÁLEZ, R., ALADOS, C. L., & GÓMEZ-GARCÍA, D. 2010. Does wild boar rooting affect livestock grazing areas in alpine grasslands? *European journal of wildlife research*, 56(5), 765-770.

BYRNE H, RYLANDS AB, CARNEIRO JC, ALFARO JW, BERTUOL F, DA SILVA MN, MESSIAS M, GROVES CP, MITTERMEIER RA, FARÍAS I, HRBEK T. 2016. Phylogenetic relationships of the New World titi monkeys (*Callicebus*): first appraisal of taxonomy based on molecular evidence. *Frontiers in Zoology*, 13(1):10.

BYRNE, H., LYNCH ALFARO, J. W., SAMPAIO, I., FARÍAS, I., SCHNEIDER, H., HRBEK, T., & BOUBLI, J. P. 2018. Titi monkey biogeography: Parallel Pleistocene spread by *Plecturocebus* and *Cheracebus* into a post-Pebas Western Amazon. *Zoologica Scripta*, 47(5), 499-517.

CADOTTE M.W., CARSCADDEN K., MIROTCHNICK N. 2011. Beyond species: functional diversity and the maintenance of ecological processes and services. *Journal of applied ecology*, 48(5):1079-87.

CANALE, G. R., PERES, C. A., GUIDORIZZI, C. E., GATTO, C. A. F., & KIERULFF, M. C. M. 2012. Pervasive defaunation of forest remnants in a tropical biodiversity hotspot. *PloS one*, 7(8), e41671.

CARVALHO-JR., E. A., & PEZZUTI, J. C. 2010. Hunting of jaguars and pumas in the Tapajós–Arapiuns Extractive Reserve, Brazilian Amazonia. *Oryx*, 44(04), 610-612.

CHAPMAN, C. A. 1989. Primate seed dispersal: the fate of dispersed seeds. *Biotropica*, 148-154

COLE, F. R., WILSON, D. E. 1996. Mammalian diversity and natural history. In: Wilson, D.E., Cole, F. R., Rudran, R., Nichols, J. D. & Foster, M. S. (eds). *Measuring and monitoring biological diversity: standard methods for mammals*. Washington D.C. *Smithsonian Press*, 9-39.

COURTENAY, O., SANTANA, E. W., JOHNSON, P. J., VASCONCELOS, I. A. B., & VASCONCELOS, A. W. 1996. Visceral leishmaniasis in the hoary zorro *Dusicyon*

vetulus: a case of mistaken identity. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 90(5), 498-502.

CUBAS, Z.S.; SILVA, J.C.R.; CATÃO-DIAS, J.L. 2006. Tratado de animais silvestres. São Paulo: Roca, 2006. 1354 p.

CUEVAS, M. F., NOVILLO, A., CAMPOS, C., DACAR, M. A., & OJEDA, R. A. 2010. Food habits and impact of rooting behaviour of the invasive wild boar, *Sus scrofa*, in a protected area of the Monte Desert, Argentina. *Journal of Arid Environments*, 74(11), 1582-1585.

DE VIVO M, CARMIGNOTTO AP. 2015. Family Sciuridae G. Fischer, 1817. *Mammals of South America*, 2:1-48.

EISENBERG, J. F. & REDFORD, K. H. 1999. Mammals of the Neotropics: The central Neotropics. Vol. 3: Ecuador, Peru, Bolivia, Brazil. University of Chicago Press, Chicago. 609 p.

FEIJÓ, A., & LANGGUTH, A. 2013. Mamíferos de médio e grande porte do Nordeste do Brasil, distribuição e taxonomia, com descrição de novas espécies. *Revista Nordestina de Biologia*, 22(1), 3-225.

FERNANDES, A. J., CHIARI, E., RODRIGUES, R. R., DIAS, J. C. P., & ROMANHA, A. J. 1991. The importance of the opossum (*Didelphis albiventris*) as a reservoir for *Trypanosoma cruzi* in Bambuí, Minas Gerais State. *Memórias do Instituto Oswaldo Cruz*, 86(1), 81-85.

FERNANDES-FERREIRA, H. 2014. A Caça no Brasil: panorama histórico e atual. Universidade Federal da Paraíba – Tese de Doutorado. 466 pp.

FERNANDEZ-DUQUE, E., M. CORLEY AND A. SPENCE-AIZENBERG. 2013. Family Aotidae (Night Monkeys); pp. 414–431, in: R.A. Mittermeier., A.B. Rylands and D.E. Wilson (eds.). The handbook of the mammals of the world. Volume 3 (Primates). Barcelona: Lynx Ediciones.

FONSECA, G. A. B.; HERRMANN, G; LEITE, Y; MITTERMEIER, R. A.; RYLANDS, A. B. & PATTON, J.L. 1996. Lista anotada dos mamíferos do Brasil. *Conservation International*, Belo Horizonte, Brasil

FORNAZARI, F., & LANGONI, H. 2014. PRINCIPAIS ZOONOSES EM MAMÍFEROS SELVAGENS. *Veterinária e Zootecnia*, 21(1), 10-24

FOSTER, M. S. 1977. Ecological and nutritional effects of food scarcity on a tropical frugivorous bird and its fruit source. *Ecology*, 58(1), 73-85.

GALETTI, M. & SAZIMA, I. 2006. Impacto de cães ferais em um fragmento urbano de Floresta Atlântica no sudeste do Brasil. *Natureza & Conservação*, 4(1), 58-63.

HAN B.A., KRAMER A.M, DRAKE J.M. 2016. Global patterns of zoonotic disease in mammals. *Trends in Parasitology*, 32(7):565-77.

HOLSBACK, L., CARDOSO, M. J. L., FAGNANI, R., & PATELLI, T. H. C. 2013. Natural infection by endoparasites among free-living wild animals. *Revista Brasileira de Parasitologia Veterinária*, 22(2), 302-306.

HUNTINGTON, H. P. 2000. Using Traditional ecological knowledge in science, Methods and applications. *Ecological Applications*, 10, 1270–1274.

IUCN. 2018. International Union for Conservation of Nature and Natural Resources. Red List of Threatened Species. Version 2018. <http://www.iucnredlist.org/>.

JÄRVIS, T., KAPEL, C. H., MOKS, E., TALVIK, H., & MÄGI, E. 2007. Helminths of wild boar in the isolated population close to the northern border of its habitat area. *Veterinary parasitology*, 150(4), 366-369.

JORGE, R. P. S., DE MELLO BEISIEGEL, B., DE SOUZA LIMA, E., JORGE, M. L. D. S. P., LEITE-PITMAN, M. R. P., & DE PAULA, R. C. 2013. Avaliação do risco de extinção do cachorro-vinagre Speothos venaticus (Lund, 1842) no Brasil. *Biodiversidade Brasileira*, (1), 179-190.

KAMIL, A. C., KREBS, J. R. & PULLIAM, H. R. 1987. Foraging Behavior, Plenum Press, New York and London.

KEUROGLIAN, A., DESBIEZ, A. L. J., DE MELLO BEISIEGEL, B., MEDICI, E. P., GATTI, A., PONTES, A. R. M., ... & DE PINHO, G. M. 2012. Avaliação do risco de extinção do queixada Tayassu pecari Link, 1795, no Brasil. *Biodiversidade Brasileira*, (1), 84-102.

KITCHENER AC, BREITENMOSER-WÜRSTEN C, EIZIRIK E, GENTRY A, WERDELIN L, WILTING A, YAMAGUCHI N, JOHNSON WE. 2017. A revised taxonomy of the Felidae: The final report of the Cat Classification Task Force of the IUCN Cat Specialist Group.

LAMBERT, J. E., & CHAPMAN, C. A. 2005. The fate of primate-dispersed seeds: Deposition pattern, dispersal distance and implications for conservation. *Seed fate: Predation, dispersal and seedling establishment*, 137-150.

LAURANCE, W. F., CROES, B. M., TCHIGNOUUMBA, L., LAHM, S. A., ALONSO, A., LEE, M. E., & ONDZEANO, C. 2006. Impacts of roads and hunting on central African rainforest mammals. *Conservation Biology*, 20(4), 1251-1261.

LEES, A. C., PERES, C. A., FEARNSIDE, P. M., SCHNEIDER, M., ZUANON, J. A. S. 2016. Hydropower and the future of Amazonian biodiversity. *Biodiversity and Conservation*, 25: 451-466.

LUCAS, C. M., SHEIKH, P., GAGNON, P. R., & MCGRATH, D. G. 2016. How livestock and flooding mediate the ecological integrity of working forests in Amazon River floodplains. *Ecological applications*, 26(1), 190-202.

MACARTHUR, R. H. E PIANKA, E. R. 1966. On the optimal use of a patchy environment. *American Naturalist*, 10.

MACHADO, A. B. M., DRUMMOND, G. M., & PAGLIA, A. P. 2008. Livro vermelho da fauna brasileira ameaçada de extinção. In: Livro vermelho da fauna brasileira ameaçada de extinção. 2008.

MARQUES, S.M.T.; QUADROS, R.M.; MAZZOLI, M.; JESUS, R.J. 2007. Parasitos Gastrintestinais de veados (*Mazama gouazoupira*) de áreas nativas no planalto de Santa Catarina, Brasil. *Veterinária em Foco*, v.5, n.1, p.3-9.

MARSH, L.K. 2014. A taxonomic revision of the saki monkeys, *Pithecia Desmarest*, 1804. *Neotropical primates* 21(1):1-65.

MENDES-PONTES, A. R., PAULA, M. D., MAGNUSSON, W. E. 2012. Low primate diversity and abundance in northern Amazonia and its implications for conservation. *Biotropica*, 44 (6): 834-839.

MERCÊS MP, ALFARO JW, FERREIRA WA, HARADA ML, JÚNIOR JS. 2015. Morphology and mitochondrial phylogenetics reveal that the Amazon River separates two eastern squirrel monkey species: *Saimiri sciureus* and *S. collinsi*. *Molecular phylogenetics and evolution*, 82:426-35.

MICHALSKI, F., BOULHOSA, R. L. P., FARIA, A., & PERES, C. A. 2006. Human–wildlife conflicts in a fragmented Amazonian forest landscape, determinants of large felid predation on livestock. *Animal Conservation*, 9(2), 179-188

MIRANDA, F. R., CASALI, D. M., PERINI, F. A., MACHADO, F. A., & SANTOS, F. R. 2017. Taxonomic review of the genus *Cyclopes* Gray, 1821 (Xenarthra: Pilosa), with the revalidation and description of new species. *Zoological Journal of the Linnean Society*, 183: 687-721.

MMA. 2014. Portaria do Ministério do Meio Ambiente nº 444, de 17 de dezembro de 2014. Lista Nacional Oficial de Espécies da Fauna Ameaçadas de Extinção. Diário Oficial da União, Brasília, n. 245, 18 dez. 2014. Seção I, p. 121–126

NARANJO, V., GORTAZAR, C., VICENTE, J., & DE LA FUENTE, J. 2008. Evidence of the role of European wild boar as a reservoir of *Mycobacterium tuberculosis* complex. *Veterinary microbiology*, 127(1-2), 1-9.

OLIVEIRA, T. G., MAZIM, F. D., VIEIRA, O. Q., BARNETT, A. P., SILVA, G. D. N., SOARES, J. B. & MIRANDA, C. L. 2016. Nonvolant mammal megadiversity and conservation issues in a threatened central Amazonian hotspot in Brazil. *Tropical Conservation Science*, 9(4), 1940082916672340.

PAGLIA, A. P., FONSECA, G. A. B., RYLANDS, A. B., HERRMANN, G., AGUIAR, L. M. S., CHIARELLO, A. G., LEITE, Y. L. R., COSTA, L. P., SICILIANO, S., KIERULFF, M. C. M., MENDES, S. L., TAVARES, V. C., MITTERMEIER, R. A., PATTON J. L. 2012. *Lista Anotada dos Mamíferos do Brasil / Annotated Checklist of Brazilian Mammals*. 2^a Edição / 2nd Edition. *Occasional Papers in Conservation Biology*, No. 6. Conservation International, Arlington, VA. 76pp.

PERCEQUILLO, A. R. 2015. Genus Nephelomys Weksler, PERCEQUILLO, y VOSS, 2006. En: Mammals of South America. Volume 2, Rodents (Patton, J. L., U. F. J. Pardiñas, and G. D'Elía, eds.). The University of Chicago Press. Chicago, EE. UU.

PERCEQUILLO, A. R. 2017. Diversidade de mamíferos do baixo rio Jufari, Roraima, Brasil. *Papéis Avulsos de Zoologia*, 57(5).

PERCEQUILLO, A. R. & GREGORIN, R. 2018. Mammalia in Catálogo Taxonômico da Fauna do Brasil. PNUD. Disponível em: <<http://fauna.jbrj.gov.br/fauna/faunadobrasil/64>>.

PERES, C. A. & NASCIMENTO, H. 2006. Impact of game hunting by the Kayapo of south-eastern Amazonia, Implications for wildlife conservation in tropical forest indigenous reserves. *Biodiversity and Conservation*, 15, 2627-2653.

PERES, C. A. 2000. Effects of subsistence hunting on vertebrate community structure in Amazonian forests. *Conservation Biology*, 14 (1): 240-253.

PEZZUTI, J.C.B., LIMA, J.P., SILVA, D.S. & BEGOSSI, A. 2010. Uses and taboos of turtles and tortoises along Rio Negro, Amazon Basin. *Journal of Ethnobiology*, 30(1), 153–168.

PITMAN, M.R.P.L., OLIVEIRA, T.G., PAULA, R.G., INDRUZIAKI, I. 2002. Manual de identificação, prevenção e controle de predação por carnívoros. Brasília, Edições IBAMA.

RANGEL, T. F. 2017. Planejamento Sistemático para a Conservação da Biodiversidade na Região da UHE Belo Monte. Relatório Técnico. 21p.

ROBINSON, J. G., & REDFORD, K. H. 1994. Measuring the sustainability of hunting in tropical forests. *Oryx*, 28(04), 249-256.

RYLANDS, A. B., SCHNEIDER, H., LANGGUTH, A., MITTERMEIER, R.A., GROVES, C.P., RODRIGUEZ-LUNA, E. 2000. An assessment of the diversity of New World primates. *Neotropical Primates*, 8 (2): 61-93.

SALVADOR S, CLAVERO M, PITMAN RL. 2011. Large mammal species richness and habitat use in an upper Amazonian forest used for ecotourism. *Mammalian Biology-Zeitschrift für Säugetierkunde*, Mar 1;76(2):115-23

SAMPAIO, R., LIMA, A. P., MAGNUSSON, W. E., & PERES, C. A. 2010. Long-term persistence of midsized to large-bodied mammals in Amazonian landscapes under varying contexts of forest cover. *Biodiversity and Conservation*, 19(8), 2421-2439.

SEMA (Secretaria de Estado de Meio Ambiente). 2007. Lista de espécies da flora e da fauna ameaçadas no Estado do Pará. <http://www.sema.pa.gov.br/interna.php?idconteudocoluna=2283>.

SCHWARZKOPF, L., RYLANDS, A. B. 1989. Primate species richness in relation to habitat structure in Amazonian rainforest fragments. *Biological Conservation*, 48: 1–12.

SETZER AP, COIMBRA GASPAR AM, SIDONI M, GALVÃO BUENO M, CATÃO-DIAS JL. 2014. Serosurvey for hepatitis A in neotropical primates in southeast Brazil. *Journal of Medical Primatology*. Jun;43(3):202-5.

SOARES, C. A.; OLIVEIRA, J. B.; BRITO, M. D. 2000. Natural infection by *Entamoeba histolytica* Schaudinn, 1903 in *Euphractus sexcinctus* (armadillo) kept in captivity. *Arq. bras. med. vet. zootec.*, (52)3: 208-9.

SOUTO, W.M.S. 2014. Atividades cinegéticas, usos locais e tradicionais da fauna por povos do semiárido paraibano (Bioma Caatinga). Tese de Doutorado – Universidade Federal da Paraíba. 302 p.

TAIG-JOHNSTON M, STROM MK, CALHOUN K, NOWAK K, EBENSPERGER LA, HAYES L. 2017. The ecological value of long-term studies of birds and mammals in Central America, South America and Antarctica. *Revista chilena de historia natural* 90(1):7.

TRONCOSO, L. L., MUNIZ, C. P., SIQUEIRA, J. D., CURTY, G., SCHRAGO, C. G., AUGUSTO, A., & SANTOS, A. F. 2015. Characterization and comparative analysis of a simian foamy virus complete genome isolated from Brazilian capuchin monkeys. *Virus research*, 208, 1-6.

ZIMBRES, B., PERES, C. A., & MACHADO, R. B. 2017. Terrestrial mammal responses to habitat structure and quality of remnant riparian forests in an Amazonian cattle-ranching landscape. *Biological conservation*, 206, 283-292.