

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<b>Beloniformes</b>				
<b>Belonidae</b>				
<i>Belonion apodion</i> Collette 1966				x
<i>Potamorrhaphis eigenmanni</i> Miranda Ribeiro 1915	x			
<i>Potamorrhaphis guianensis</i> (Jardine 1843)	x			
<b>Characiformes</b>				
<b>Acestrorhynchidae</b>				
<i>Acestrorhynchus falcatus</i> (Bloch 1794)	x	x		x
<i>Acestrorhynchus falcirostris</i> (Cuvier 1819)		x		
<i>Acestrorhynchus heterolepis</i> (Cope 1878)	x	x	x	
<i>Acestrorhynchus isalineae</i> Menezes & Géry 1983				x
<i>Acestrorhynchus microlepis</i> (Schomburgk 1841)	x	x	x	x
<b>Alestidae</b>				
<i>Chalceus epakros</i> Zanata & Toledo-Piza 2004	x	x	x	x
<b>Anostomidae</b>				
<i>Hypomasticus pachycheilus</i> (Britski 1976)	x			
<i>Laemolyta proxima</i> (Garman 1890)	x		x	
<i>Laemolyta taeniata</i> (Kner 1858)	x	x	x	
<i>Leporinus brunneus</i> Myers 1950	x		x	
<i>Leporinus cf. cylindriformis</i> Borodin 1929	x	x	x	x
<i>Leporinus desmotes</i> Fowler 1914	x	x		
<i>Leporinus fasciatus</i> (Bloch 1794)	x	x	x	
<i>Leporinus friderici</i> (Bloch 1794)	x	x	x	x
<i>Pseudanos gracilis</i> (Kner 1858)	x	x	x	
<i>Pseudanos trimaculatus</i> (Kner 1858)	x	x	x	x
<i>Schizodon fasciatus</i> Spix & Agassiz 1829	x	x		
<b>Characidae</b>				
" <i>Bryconamericus</i> " <i>orinocoense</i> Román-Valencia 2003	x	x		x
" <i>Deuterodon</i> " sp.	x	x	x	
" <i>Hemigrammus</i> " cf. <i>geisleri</i> Zarske & Géry 2007	x	x	x	x
<i>Acstrocephalus pallidus</i> Menezes 2006				x
<i>Agoniates halecinus</i> Müller & Troschel 1845		x	x	x
<i>Aphyocharax avary</i> Fowler, 1913		x		
<i>Aphyocharax</i> sp. "falso avary"		x		
<i>Astyanax</i> aff. <i>bimaculatus</i> (Linnaeus, 1758)				x
<i>Astyanax</i> cf. <i>maximus</i> (Steindachner 1876)	x			
<i>Astyanax guaporensis</i> Eigenmann 1911	x	x	x	x
<i>Brachychalcinus copei</i> (Steindachner 1882)	x	x	x	
<i>Brycon amazonicus</i> (Spix & Agassiz 1829)			x	x
<i>Brycon</i> cf. <i>pesu</i> Müller & Troschel 1845	x	x		x
<i>Brycon</i> <i>falcatus</i> Müller & Troschel 1844	x			x
<i>Brycon</i> <i>melanopterus</i> (Cope 1872)	x	x	x	x
<i>Bryconella pallidifrons</i> (Fowler 1946)				x
<i>Bryconops alburnoides</i> Kner 1858	x			
<i>Bryconops</i> cf. <i>alburnoides</i> Kner, 1858		x	x	
<i>Bryconops</i> cf. <i>caudomaculatus</i> (Günther 1864)	x	x	x	
<i>Bryconops</i> cf. <i>giacopinii</i> (Fernández-Yépez 1950)	x	x	x	x
<i>Charax</i> sp. "Cuniã"	x		x	
<i>Charax</i> sp. 'madeira'	x	x	x	
<i>Creagrutus anary</i> Fowler 1913	x	x	x	

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<i>Cynopotamus gouldingi</i> Menezes 1987	x	x	x	x
<i>Hemigrammus analis</i> Durbin 1909	x	x	x	x
<i>Hemigrammus cf. belottii</i> (Steindachner 1882)	x	x	x	x
<i>Hemigrammus melanochrous</i> Fowler 1913		x		x
<i>Hemigrammus ocellifer</i> (Steindachner 1882)	x		x	x
<i>Hemigrammus</i> sp.	x			
<i>Hemigrammus</i> sp. "marmelos"		x		x
<i>Hemigrammus</i> sp. "prata"		x		
<i>Hemigrammus vorderwinkleri</i> Géry 1963	x	x		x
<i>Hyphessobrycon</i> sp. "mancha alongada"	x	x		
<i>Hyphessobrycon agulha</i> Fowler 1913	x	x		
<i>Hyphessobrycon bentosi</i> Durbin, 1908		x	x	
<i>Hyphessobrycon copelandi</i> Durbin 1908	x	x	x	x
<i>Hyphessobrycon mutabilis</i> Costa & Géry 1994			x	
<i>Hyphessobrycon</i> sp "falso microchemobrycon"	x			
<i>Hyphessobrycon</i> sp. "humaitá"	x	x		x
<i>Hyphessobrycon sweglesi</i> (Géry 1961)	x			x
<i>Iguanodectes geisleri</i> Géry 1970	x	x	x	
<i>Iguanodectes spilurus</i> (Günther 1864)			x	
<i>Iguanodectes variatus</i> Géry 1993	x			x
<i>Jupiaba anteroides</i> (Géry 1965)	x	x	x	x
<i>Jupiaba iasy</i> Netto-Ferreira, Zanata, Birindelli & Sousa 2009		x	x	
<i>Jupiaba zonata</i> (Eigenmann 1908)	x	x	x	x
<i>Knodus</i> cf. <i>heteresthes</i> (Eigenmann 1908)	x	x	x	x
<i>Microchemobrycon callops</i> Böhlke 1953	x	x		
<i>Microchemobrycon casiquiare</i> Böhlke 1953		x		
<i>Microchemobrycon guaporensis</i> Eigenmann 1915	x			
<i>Moenkhausia</i> sp gracilima manchada	x			
<i>Moenkhausia ceros</i> Eigenmann 1908	x			
<i>Moenkhausia</i> cf. <i>gracilima</i> (Eigenmann 1908)	x	x	x	x
<i>Moenkhausia</i> cf. <i>pankilopteryx</i> Bertaco & Lucinda				x
<i>Moenkhausia collettii</i> (Steindachner 1882)	x	x	x	x
<i>Moenkhausia comma</i> Eigenmann 1908	x			x
<i>Moenkhausia copei</i> (Steindachner 1882)	x			
<i>Moenkhausia cotinho</i> Eigenmann 1908	x	x		
<i>Moenkhausia grandisquamis</i> (Müller & Troschel 1845)	x	x	x	x
<i>Moenkhausia mikia</i> Marinho & Langeani 2010	x	x	x	x
<i>Moenkhausia oligolepis</i> (Günther 1864)	x	x	x	x
<i>Moenkhausia</i> sp. "lepidura alta"		x		x
<i>Moenkhausia</i> sp. "lepidura longa"		x	x	x
<i>Moenkhausia</i> sp. <i>microchemobrycon</i>	x			
<i>Oxybrycon parvulus</i> Géry 1964			x	
<i>Phenacogaster</i> cf. <i>beni</i> Eigenmann, 1911		x	x	
<i>Phenacogaster</i> cf. <i>pectinatus</i> (Cope 1870)	x			
<i>Phenacogaster</i> cf. <i>retropinnus</i> Lucena & Malabarba 2010		x		x
<i>Poptella compressa</i> (Günther 1864)	x	x	x	x
<i>Roeboides affinis</i> (Günther 1868)	x	x	x	x
<i>Roeboides myersii</i> Gill 1870	x	x		
<i>Serrapinnus</i> cf. <i>notomelas</i> (Eigenmann 1915)	x	x		
<i>Tetragonopterus argenteus</i> Cuvier 1816	x		x	

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<i>Tetragonopterus chalceus</i> Spix & Agassiz 1829	x	x	x	x
<i>Triportheus albus</i> Cope 1872	x	x	x	x
<i>Triportheus angulatus</i> (Spix & Agassiz 1829)	x	x	x	x
<i>Triportheus auritus</i> (Valenciennes 1850)	x	x	x	x
<i>Triportheus culter</i> (Cope 1872)	x			x
<b>Chilodontidae</b>				
<i>Caenotropus labyrinthicus</i> (Kner 1858)	x	x	x	
<i>Caenotropus schizodon</i> Scharcansky & Lucena 2007	x	x	x	x
<b>Crenuchidae</b>				
<i>Ammocryptocharax elegans</i> Weitzman & Kanazawa 1976	x			
<i>Characidium aff. zebra</i> Eigenmann 1909	x	x	x	x
<i>Characidium cf. pteroides</i> Eigenmann 1909	x	x		
<i>Characidium</i> sp. sem barras				x
<i>Elachocharax pulcher</i> Myers 1927	x	x		
<b>Ctenolucidae</b>				
<i>Boulengerella cuvieri</i> (Agassiz 1829)	x	x	x	x
<i>Boulengerella maculata</i> (Valenciennes 1850)	x	x	x	
<b>Curimatidae</b>				
<i>Curimata kneri</i> (Steindachner 1876)	x	x	x	x
<i>Curimata ocellata</i> Eigenmann & Eigenmann 1889				x
<i>Curimata roseni</i> Vari 1989	x		x	x
<i>Curimata vittata</i> (Kner 1858)		x	x	
<i>Curimatella meyeri</i> (Steindachner 1882)	x			
<i>Curimatopsis macrolepis</i> (Steindachner 1876)	x	x		
<i>Cyphocharax notatus</i> (Steindachner 1908)	x		x	x
<i>Cyphocharax plumbeus</i> (Eigenmann & Eigenmann 1889)		x		
<i>Cyphocharax spiluropsis</i> (Eigenmann & Eigenmann 1889)	x	x		x
<i>Potamorhina altamazonica</i> (Cope 1878)	x	x	x	x
<i>Potamorhina latior</i> (Spix & Agassiz 1829)	x	x	x	x
<i>Potamorhina pristigaster</i> (Steindachner 1876)		x		
<i>Psectrogaster amazonica</i> Eigenmann & Eigenmann 1889	x	x	x	
<i>Psectrogaster essequibensis</i> (Günther 1864)	x			
<i>Psectrogaster rutiloides</i> (Kner 1858)	x	x	x	
<i>Steindachnerina bimaculata</i> (Steindachner 1876)	x			
<i>Steindachnerina dobula</i> (Günther 1868)	x		x	
<i>Steindachnerina fasciata</i> (Vari & Géry 1985)	x			
<i>Steindachnerina guentheri</i> (Eigenmann & Eigenmann 1889)		x		x
<i>Steindachnerina leucisca</i> (Günther 1868)			x	
<b>Cynodontidae</b>				
<i>Cynodon gibbus</i> (Agassiz 1829)			x	
<i>Hydrolycus armatus</i> (Jardine & Schomburgk 1841)	x	x	x	x
<i>Hydrolycus scomberoides</i> (Cuvier 1819)			x	
<i>Hydrolycus tatauaia</i> Toledo-Piza Menezes & Santos 1999	x	x	x	x
<i>Rhaphiodon vulpinus</i> Spix & Agassiz 1829	x	x	x	x
<i>Roestes molossus</i> (Kner 1858)	x			
<b>Erythrinidae</b>				
<i>Hopleriethrinus unitaeniatus</i> (Agassiz 1829)	x	x		x
<i>Hoplias malabaricus</i> (Bloch 1794)	x	x	x	x
<b>Gasteropelecidae</b>				
<i>Carnegiella marthae</i> Myers 1927	x			

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<i>Carnegiella strigata</i> (Günther 1864)	x	x	x	x
<b>Hemiodontidae</b>				
<i>Anodus elongatus</i> Agassiz 1829	x	x	x	x
<i>Anodus orinocensis</i> (Steindachner 1887)			x	
<i>Argoneutes longiceps</i> (Kner 1858)	x	x	x	x
<i>Bivibranchia fowleri</i> (Steindachner 1908)	x	x	x	
<i>Hemiodus atranalis</i> (Fowler 1940)		x	x	
<i>Hemiodus immaculatus</i> Kner 1858	x			
<i>Hemiodus</i> sp. "rabo de fogo"				x
<i>Hemiodus unimaculatus</i> (Bloch 1794)	x	x	x	x
<b>Lebiasinidae</b>				
<i>Nannostomus digrammus</i> (Fowler 1913)		x	x	x
<i>Nannostomus trifasciatus</i> Steindachner 1876	x			
<i>Pyrrhulina australis</i> Eigenmann & Kennedy 1903			x	
<i>Pyrrhulina</i> cf. <i>beni</i> Pearson 1924	x	x		
<i>Pyrrhulina</i> cf. <i>brevis</i> Steindachner 1876	x		x	
<b>Parodontidae</b>				
<i>Apareidon</i> sp. "dorsal escura"		x		
<i>Apareidon</i> sp. "mancha caudal"				x
<b>Prochilodontidae</b>				
<i>Prochilodus nigricans</i> Agassiz 1829	x	x	x	x
<i>Semaprochilodus insignis</i> (Jardine & Schomburgk 1841)	x	x	x	x
<i>Semaprochilodus taeniurus</i> (Valenciennes 1821)	x		x	
<b>Serrasalmidae</b>				
<i>Colossoma macropomum</i> (Cuvier 1818)	x	x	x	
<i>Myleus setiger</i> Müller & Troschel 1844		x	x	x
<i>Myloplus asterias</i> (Müller & Troschel 1844)	x	x	x	x
<i>Myloplus lobatus</i> (Valenciennes 1850)	x	x	x	x
<i>Myloplus rubripinnis</i> (Müller & Troschel 1844)	x			
<i>Mylossoma aureum</i> (Spix & Agassiz 1829)			x	x
<i>Mylossoma duriventre</i> (Cuvier 1818)	x	x	x	x
<i>Piaractus brachypomus</i> (Cuvier 1818)	x		x	x
<i>Pygocentrus nattereri</i> Kner 1858	x		x	
<i>Serrasalmus compressus</i> Jégu, Leão & Santos				x
<i>Serrasalmus eigenmanni</i> Norman 1929	x	x	x	x
<i>Serrasalmus elongatus</i> Kner 1858			x	
<i>Serrasalmus</i> gr. <i>rhombeus</i> (Linnaeus 1766)			x	
<i>Serrasalmus hollandi</i> Eigenmann 1915	x	x	x	x
<i>Serrasalmus rhombeus</i> (Linnaeus 1766)	x	x	x	x
<i>Serrasalmus spilopleura</i> Kner 1858	x	x	x	x
<b>Cupleiformes</b>				
<b>Engraulidae</b>				
<i>Anchoviella jamesi</i> (Jordan & Seale 1926)		x		
<i>Anchoviella juruasanga</i> Loeb 2012	x	x	x	
<i>Anchoviella</i> sp "maxila longa"			x	
<i>Lycengraulis batesii</i> (Günther 1868)	x		x	x
<b>Pristigasteridae</b>				
<i>Pellona castelnaeana</i> Valenciennes 1847			x	x
<i>Pellona flavigrannis</i> (Valenciennes 1837)	x		x	x
<b>Cyprinodontiformes</b>				

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<b>Poeciliidae</b>				
<i>Fluviphylax pygmaeus</i> (Myers & Carvalho, 1955)				x
<b>Gymnotiformes</b>				
<b>Apteronotidae</b>				
<i>Apteronotus albifrons</i> (Linnaeus 1766)				x
<i>Sternarchella</i> sp.			x	
<i>Sternarchorhynchus chaoi</i> de Santana & Vari 2010			x	
<b>Gymnotidae</b>				
<i>Electrophorus electricus</i> (Linnaeus 1766)	x	x		x
<i>Gymnotus carapo</i> Linnaeus 1758			x	
<b>Hypopomidae</b>				
<i>Brachyhypopomus brevirostris</i> (Steindachner 1868)			x	
<b>Rhamphichthyidae</b>				
<i>Gymnorhamphichthys rondoni</i> (Miranda Ribeiro 1920)	x	x		
<i>Rhamphichthys rostratus</i> (Linnaeus 1766)			x	
<b>Sternopygidae</b>				
<i>Archolaemus santosi</i> Vari, de Santana & Wosiacki 2012				x
<i>Eigenmannia</i> sp C				x
<i>Sternopygus macrurus</i> (Bloch & Schneider 1801)			x	
<b>Myliobatiformes</b>				
<b>Potamotrygonidae</b>				
<i>Paratrygon aiereba</i> (Müller & Henle 1841)		x		
<i>Potamotrygon orbignyi</i> (Castelnau 1855)	x	x		
<i>Potamotrygon scobina</i> Garman 1913		x		
<i>Potamotrygon</i> sp.	x	x		
<b>Osteoglossiformes</b>				
<b>Osteoglossidae</b>				
<i>Osteoglossum bicirrhosum</i> (Cuvier 1829)	x	x		
<b>Perciformes</b>				
<b>Cichlidae</b>				
<i>Acaronia nassa</i> (Heckel 1840)				x
<i>Aequidens tetramerus</i> (Heckel 1840)	x	x	x	x
<i>Aistogramma gephyra</i> Kullander 1980	x	x		
<i>Aistogramma resticulosa</i> Kullander 1980	x	x		
<i>Astronotus crassipinnis</i> (Heckel 1840)		x		
<i>Biotodoma cupido</i> (Heckel 1840)		x		
<i>Chaetobranchus flavences</i> Heckel 1840		x		
<i>Cichla pleiozona</i> Kullander & Ferreira 2006	x	x	x	x
<i>Crenicara punctulatum</i> (Günther 1863)	x	x		x
<i>Crenicichla johanna</i> Heckel 1840	x	x		
<i>Crenicichla marmorata</i> Pellegrin 1904	x	x		
<i>Crenicichla regani</i> Ploeg 1989	x	x	x	
<i>Crenicichla reticulata</i> (Heckel 1840)	x			
<i>Crenicichla santosi</i> Ploeg 1991	x	x	x	x
<i>Geophagus megasema</i> Heckel 1840	x	x	x	x
<i>Heros spurius</i> Heckel 1840		x		
<i>Mesonauta festivus</i> (Heckel 1840)	x			
<i>Satanopercajurupari</i> (Heckel 1840)	x	x	x	x
<b>Gobiidae</b>				
<i>Microphilypnus ternetzi</i> Myers 1927	x			

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<b>Polycentridae</b>				
<i>Monocirrhus polyacanthus</i> Heckel 1840				x
<b>Scianidae</b>				
<i>Pachyurus paucirastrus</i> Aguilera 1983	x	x		
<i>Petilipinnis grunniens</i> (Jardine 1843)	x	x	x	
<i>Plagioscion montei</i> Soares & Casatti 2000	x	x		
<i>Plagioscion squamosissimus</i> (Heckel 1840)	x	x	x	x
<b>Pleuronectiformes</b>				
<b>Achiridae</b>				
<i>Hypoclinemus mentalis</i> (Günther 1862)				x
<b>Siluriformes</b>				
<b>Aspredinidae</b>				
<i>Bunocephalus coracoideus</i> (Cope 1874)	x	x		
<i>Pseudobunocephalus amazonicus</i> (Mees 1989)		x		
<i>Pseudobunocephalus bifidus</i> (Eigenmann 1942)	x	x		
<b>Auchenipteridae</b>				
<i>Ageneiosus inermis</i> (Linnaeus 1766)	x	x	x	x
<i>Ageneiosus</i> sp.n. "vitatus"			x	
<i>Ageneiosus ucayalensis</i> Castelnau 1855			x	x
<i>Auchenipterichthys coracoideus</i> (Eigenmann & Allen 1942)	x	x	x	x
<i>Auchenipterus ambyiacus</i> Fowler 1915		x	x	x
<i>Auchenipterus nuchalis</i> (Spix & Agassiz 1829)	x		x	x
<i>Centromochlus heckelii</i> (De Filippi 1853)	x		x	x
<i>Centromochlus schultzi</i> Rössel 1962		x	x	
<i>Parauchenipterus galeatus</i> (Linnaeus 1766)			x	x
<i>Parauchenipterus porosus</i> (Eigenmann & Eigenmann 1888)			x	x
<i>Tatia</i> cf. <i>galaxias</i> Mees 1974			x	x
<i>Tatia intermedia</i> (Steindachner 1877)			x	x
<b>Callichthyidae</b>				
<i>Callichthys callichthys</i> (Linnaeus 1758)			x	
<i>Corydoras acutus</i> Cope 1872	x	x	x	x
<i>Corydoras armatus</i> (Günther 1868)	x	x		
<i>Corydoras</i> cf. <i>ambiacus</i> Cope 1872	x	x		
<i>Corydoras</i> cf. <i>trilineatus</i> Cope 1872	x	x	x	
<i>Corydoras</i> sp. "gracilis"		x		
<i>Hoplosternum littorale</i> (Hancock 1828)		x	x	
<i>Megalechis picta</i> (Müller & Troschel 1848)		x	x	x
<b>Cetopsidae</b>				
<i>Cetopsis coecutiens</i> (Lichtenstein 1819)	x		x	x
<i>Helogenes</i> cf. <i>goulding</i> Vari & Ortega 1986	x			
<i>Helogenes marmoratus</i> Günther 1863			x	
<b>Doradidae</b>				
<i>Acanthodoras cataphractus</i> (Linnaeus 1758)			x	
<i>Acanthodoras spinosissimus</i> (Eigenmann & Eigenmann 1888)	x			
<i>Acanthodoras spinosissimus</i> (Eigenmann & Eigenmann 1888)		x	x	
<i>Amblydoras affinis</i> (Kner 1855)	x	x		
<i>Anadoras weddellii</i> (Castelnau 1855)	x			
<i>Hemidoras morrisi</i> Eigenmann 1925			x	
<i>Hemidoras stenopeltis</i> (Kner 1855)	x			x
<i>Leptodoras acipenserinus</i> (Günther 1868)		x		

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<i>Leptodoras copei</i> (Fernández-Yépez 1968)				x
<i>Nemadoras elongatus</i> (Boulenger 1898)			x	
<i>Nemadoras humeralis</i> (Kner 1855)			x	
<i>Nemadoras trimaculatus</i> (Boulenger 1898)	x		x	
<i>Ossancora punctata</i> (Kner 1855)				x
<i>Oxydoras niger</i> (Valenciennes 1821)	x	x	x	
<i>Physopyxis lyra</i> Cope 1871	x			
<i>Platydoras armatus</i> (Valenciennes 1840)	x	x	x	
<i>Trachydoras microstomus</i> (Eigenmann 1912)				x
<b>Heptapteridae</b>				
<i>Imparfinis cochabambae</i> (Fowler 1940)		x		
<i>Mastiglanis asopos</i> Bockmann 1994	x	x		
<i>Pimelodella boliviensis</i> Eigenmann 1917		x		
<i>Pimelodella howesi</i> Fowler 1940	x		x	x
<i>Pimelodella steindachneri</i> Eigenmann 1917	x		x	x
<i>Rhamdia quelen</i> (Quoy & Gaimard 1824)	x			
<i>Rhamdia</i> sp. olhuda	x			
<b>Loricariidae</b>				
<i>Lasiancistrus schomburgkii</i> (Günther 1864)				
<i>Acanthicus hystriculus</i> Spix & Agassiz 1829		x		
<i>Ancistrus</i> cf. <i>dubius</i> Eigenmann & Eigenmann 1889	x		x	
<i>Ancistrus</i> sp "tigrinus"			x	
<i>Ancistrus</i> sp. "sideral"		x		
<i>Dekeyseria amazonica</i> Rapp Py-Daniel 1985	x	x		
<i>Hemiancistrus</i> sp. bamburro	x			
<i>Hemiodontichthys acipenserinus</i> (Kner 1853)	x	x		
<i>Hypoptopoma incognitum</i> Aquino & Schaefer 2010			x	
<i>Hypostomus</i> cf. <i>plecostomus</i> (Linnaeus 1758)		x	x	x
<i>Hypostomus pyrineusi</i> (Miranda Ribeiro 1920)	x	x	x	x
<i>Hypostomus</i> sp.	x			
<i>Hypostomus</i> sp. "teotonio"	x	x		x
<i>Lasiancistrus schomburgkii</i> (Günther 1864)	x	x		
<i>Loricaria cataphracta</i> Linnaeus 1758		x	x	x
<i>Loricariichthys</i> sp.	x	x		
<i>Otocinclus hoppei</i> Miranda Ribeiro 1939	x	x		
<i>Otocinclus mura</i> Schaefer 1997			x	
<i>Peckoltia</i> aff. <i>vittata</i> (Steindachner 1881)		x		
<i>Pseudoacanthicus</i> sp. "bola preta"		x		
<i>Pseudorinelepis genibarbis</i> (Valenciennes 1840)		x		
<i>Pterygoplichthys lituratus</i> (Kner 1854)	x	x	x	
<i>Pterygoplichthys pardalis</i> (Castelnau 1855)	x	x	x	
<i>Rineloricaria</i> cf. <i>phoxocephala</i> (Eigenmann & Eigenmann 1889)		x	x	x
<i>Rineloricaria formosa</i> Isbrücker & Nijssen 1979	x	x	x	
<i>Rineloricaria</i> sp. 2	x			
<i>Spatuloricaria evansii</i> (Boulenger 1892)		x		
<i>Squaliforma</i> cf. <i>emarginata</i> (Valenciennes 1840)		x		
<i>Sturisoma</i> cf. <i>lyra</i> (Regan 1904)	x	x	x	
<b>Pimelodidae</b>				
<i>Brachyplatystoma filamentosum</i> (Lichtenstein 1819)				x
<i>Brachyplatystoma platynemum</i> Boulenger 1898				x

**Espécies Registradas no Diagnóstico da Ictiofauna**

Ordem/Família/Espécie	Campanhas			
	1	2	3	4
<i>Calophysus macropterus</i> (Lichtenstein 1819)	x		x	x
<i>Duopalatinus peruanus</i> Eigenmann & Allen 1942	x		x	x
<i>Hemisorubim platyrhynchos</i> (Valenciennes 1840)	x	x		x
<i>Hypophthalmus edentatus</i> Spix & Agassiz 1829			x	x
<i>Hypophthalmus marginatus</i> Valenciennes 1840			x	
<i>Leiarius marmoratus</i> (Gill 1870)	x	x	x	
<i>Megalonema platanum</i> (Günther 1880)			x	
<i>Phractocephalus hemiolopterus</i> (Bloch & Schneider 1801)	x	x		
<i>Pimelodus cf. blochii</i> Valenciennes 1840	x	x	x	x
<i>Pimelodus ornatus</i> Kner 1858	x	x	x	x
<i>Pinirampus pirinampu</i> (Spix & Agassiz 1829)	x	x	x	x
<i>Platynematicichthys notatus</i> (Jardine 1841)			x	x
<i>Pseudoplatystoma punctifer</i> (Castelnau 1855)	x	x		x
<i>Pseudoplatystoma tigrinum</i> (Valenciennes 1840)	x	x		
<i>Sorubim elongatus</i> Littmann Burr Schmidt & Isern 2001	x	x	x	x
<i>Sorubim lima</i> (Bloch & Schneider 1801)	x		x	
<i>Sorubim maniradii</i> Littmann Burr & Buitrago-Suárez 2001	x	x		x
<b>Pseudopimelodidae</b>				
<i>Batrocoglanis</i> sp. "aff B. vilosus"	x			
<i>Microglanis poecilus</i> Eigenmann 1912	x			
<b>Scolopacidae</b>				
<i>Scolopax baskini</i> Rocha de Oliveira & Rapp Py-Daniel 2008	x			
<b>Trichomycteridae</b>				
<i>Henonemus punctatus</i> (Boulenger 1887)			x	
<i>Ochmacanthus reinhardti</i> (Steindachner 1882)	x	x		
<i>Paracanthopoma parva</i> Giltay 1935	x			
<i>Paracanthopoma</i> sp.n.3			x	
<i>Vandellia cirrhosa</i> Valenciennes 1846	x	x		x
<i>Vandellia sanguinea</i> Eigenmann 1917			x	
<b>Synbranchiformes</b>				
<b>Synbranchidae</b>				
<i>Synbranchus</i> sp "karipunas"				x
<b>Tetradontiformes</b>				
<b>Tetradontidae</b>				
<i>Colomesus asellus</i> (Müller & Troschel 1849)	x	x		