

ANEXO XIX-D

TABELA DAS AVES REGISTRADAS NOS CAPÕES DE MATA DOS
BLOCOS A, B, C, D DO CORPO S11D

Táxons de Aves em Capão de Mata	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Amazilia fimbriata</i> (Gmelin, 1788)	8 7		4	11	30
<i>Amazilia versicolor</i> (Vieillot, 1818)	1				1
<i>Anhinga anhinga</i> (Linnaeus, 1766)	1				1
<i>Anthracothorax nigricollis</i> (Vieillot, 1817)	1		4	2	7
<i>Aphantochroa cirrochloris</i> (Vieillot, 1818)				2	2
<i>Ara chloropterus</i> Gray, 1859	8 7		3	6	24
<i>Aratinga jandaya</i> (Gmelin, 1788)	17 4			7	28
<i>Aratinga leucophthalma</i> (Statius Muller, 1776)	5 3	3		8	46
<i>Arremon taciturnus</i> (Hermann, 1783)	2 6			6	14
<i>Basileuterus culicivorus</i> (Deppe, 1830)	7 9			1	17
<i>Basileuterus flaveolus</i> (Baird, 1865)	26 17		13	33	89
<i>Brotogeris chrysoptera</i> (Linnaeus, 1766)	2			3	5
<i>Bubulcus ibis</i> (Linnaeus, 1758)	1				1
<i>Buteo albicaudatus</i> Vieillot, 1816	1		1		2
<i>Buteo nitidus</i> (Latham, 1790)				1	1
<i>Butorides striata</i> (Linnaeus, 1758)	2		2		4
<i>Cairina moschata</i> (Linnaeus, 1758)	10				10
<i>Camptostoma obsoletum</i> (Temminck, 1824)	1		7	5	13
<i>Campylopterus largipennis</i> (Boddaert, 1783)	1			4	5
<i>Casiornis rufa</i> Sclater & Salvin, 1873				1	1
<i>Cathartes aura</i> (Linnaeus, 1758)	1		5	4	10
<i>Catharus fuscescens</i> (Stephens, 1817)	3			2	5
<i>Cercomacra cinerascens</i> (Sclater, 1857)	2			4	6
<i>Chaetura spinicaudus</i> (Temminck, 1839)	4			5	9
<i>Chiroxiphia pareola</i> (Linnaeus, 1766)	1				1
<i>Chrysolampis mosquitos</i> (Linnaeus, 1758)				1	1
<i>Claravis pretiosa</i> (Ferrari-Perez, 1886)				1	1
<i>Coereba flaveola</i> (Linnaeus, 1758)	9 1		6	10	26
<i>Colaptes melanochloros</i> (Gmelin, 1788)	2		1	2	5
<i>Columbina talpacoti</i> (Temminck, 1811)			1		1
<i>Coragyps atratus</i> (Bechstein, 1793)	1		8		9
<i>Crotophaga ani</i> Linnaeus, 1758				1	1
<i>Crypturellus cinereus</i> (Gmelin, 1789)	1 4		2	4	11
<i>Crypturellus parvirostris</i> (Wagler, 1827)	2 5		4		11
<i>Crypturellus soui</i> (Hermann, 1783)	2			1	3
<i>Crypturellus</i> sp.	1				1
<i>Crypturellus strigulosus</i> (Temminck, 1815)	1 2			1	4
<i>Crypturellus tataupa</i> (Temminck, 1815)	6 9		3	1	19
<i>Cyanerpes cyaneus</i> (Linnaeus, 1766)	4			7	11
<i>Cyanocorax cyanopogon</i> (Wied, 1821)	4 2		1	3	10
<i>Cyclarhis gujanensis</i> (Gmelin, 1789)	1 7		2	3	13
<i>Dacnis cayana</i> (Linnaeus, 1766)	7 1		1	11	20
<i>Dendrocincla fuliginosa</i> (Vieillot, 1818)	1				1
<i>Dendrocolaptidae</i> Gray, 1840				1	1
<i>Dendrocygna viduata</i> (Linnaeus, 1766)	25				25
<i>Dendroplex picus</i> (Gmelin, 1788)	1 1		4	1	7
<i>Donacobius atricapilla</i> (Linnaeus, 1766)			2		2
<i>Dryocopus lineatus</i> (Linnaeus, 1766)			2		2
<i>Elaenia chiriquensis</i> Lawrence, 1865	5 3		10	2	20

Continua...

...continuação

Táxons de Aves em Capão de Mata	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Elaenia cristata</i> Pelzeln, 1868	5 1		6	11	23
<i>Elaenia flavogaster</i> (Thunberg, 1822)	10 7		18	10	45
<i>Elaenia parvirostris</i> Pelzeln, 1868				1	1
<i>Elaenia</i> sp.				3	3
<i>Elanoides forficatus</i> (Linnaeus, 1758)			1		1
<i>Empidonomus varius</i> (Vieillot, 1818)	5 7		4	1	17
<i>Euphonia chlorotica</i> (Linnaeus, 1766)	5 4		4	4	17
<i>Euphonia violacea</i> (Linnaeus, 1758)	1 1				2
<i>Falco sparverius</i> Linnaeus, 1758			2		2
<i>Formicarius colma</i> Boddaert, 1783	1			3	4
<i>Formicivora grisea</i> (Boddaert, 1783)	10 13		11	12	46
<i>Galbula cyanicollis</i> Cassin, 1851	1				1
<i>Galbula galbula</i> (Linnaeus, 1766)				2	2
<i>Geotrygon montana</i> (Linnaeus, 1758)	1				1
<i>Glaucidium hardyi</i> Vieillard, 1990				1	1
<i>Glyphorhynchus spirurus</i> (Vieillot, 1819)	1				1
<i>Helimaster longirostris</i> (Audebert & Vieillot, 1801)				1	1
<i>Hemithraupis guira</i> (Linnaeus, 1766)	1 2			4	7
<i>Hemitriccus margaritaceiventer</i> (d'Orbigny & Lafresnaye, 1837)	15 14		17	24	70
<i>Hemitriccus minor</i> (Snethlage, 1907)				1	1
<i>Hemitriccus</i> sp.	1				1
<i>Herpetotheres cachinnans</i> (Linnaeus, 1758)				1	1
<i>Herpsilochmus rufimarginatus</i> (Temminck, 1822)	1			1	2
<i>Hirundinea ferruginea</i> (Gmelin, 1788)			1		1
<i>Hydropsalis torquata</i> (Gmelin, 1789)	1				1
<i>Hylocharis cyanus</i> (Vieillot, 1818)				2	2
<i>Hylopezus berlepschi</i> (Hellmayr, 1903)				1	1
<i>Hylopezus macularius</i> (Temminck, 1823)				1	1
<i>Hylophilus muscicapinus</i> Sclater & Salvin, 1873	1				1
<i>Hylophilus thoracicus</i> Temminck, 1822	1				1
<i>Icterus cayanensis</i> (Linnaeus, 1766)				1	1
<i>Iodopleura isabellae</i> Parzudaki, 1847	3				3
<i>Jacana jacana</i> (Linnaeus, 1766)	2		2		4
<i>Laterallus exilis</i> (Temminck, 1831)	1 3				4
<i>Lathrotriccus euleri</i> (Cabanis, 1868)	1				1
<i>Legatus leucophaius</i> (Vieillot, 1818)				1	1
<i>Leptopogon amaurocephalus</i> Tschudi, 1846	2		1		3
<i>Leptotila rufaxilla</i> (Richard & Bernard, 1792)	4 8		7	4	23
<i>Leptotila verreauxi</i> Bonaparte, 1855	2 2		7	1	12
<i>Lipaugus vociferans</i> (Wied, 1820)			4		4
<i>Megarynchus pitangua</i> (Linnaeus, 1766)				1	1

Continua...

...continuação

Táxons de Aves em Capão de Mata	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Mionectes oleagineus</i> (Lichtenstein, 1823)			1		1
<i>Monasa morphoeus</i> (Hahn & Küster, 1823)				1	1
<i>Myiarchus ferox</i> (Gmelin, 1789)	2 2		5	6	15
<i>Myiarchus tuberculifer</i> (d'Orbigny & Lafresnaye, 1837)	2 2				4
<i>Myiodynastes maculatus</i> (Statius Muller, 1776)	2			4	6
<i>Myiopagis caniceps</i> (Swainson, 1835)	1				1
<i>Myiopagis gaimardii</i> (d'Orbigny, 1839)			1		1
<i>Myiophobus fasciatus</i> (Statius Muller, 1776)			2	3	5
<i>Myiornis ecaudatus</i> (d'Orbigny & Lafresnaye, 1837)	2 4		4	2	12
<i>Myiozetetes cayanensis</i> (Linnaeus, 1766)	5 2		6	3	16
<i>Myrmoborus myotherinus</i> (Spix, 1825)				2	2
<i>Myrmotherula axillaris</i> (Vieillot, 1817)	1				1
<i>Myrmotherula brachyura</i> (Hermann, 1783)	1				1
<i>Neopelma pallescens</i> (Lafresnaye, 1853)	2 4			4	10
<i>Ornithion inerme</i> Hartlaub, 1853	1				1
<i>Pachyramphus polychopterus</i> (Vieillot, 1818)	4 3			2	9
<i>Patagioenas cayennensis</i> (Bonnaterre, 1792)	2				2
<i>Patagioenas speciosa</i> (Gmelin, 1789)	3 1			2	6
<i>Penelope</i> sp.	2				2
<i>Penelope superciliaris</i> Temminck, 1815	1			1	2
<i>Phaeomyias murina</i> (Spix, 1825)	4 1		2	4	11
<i>Phaethornis bourcierii</i> (Lesson, 1832)	1				1
<i>Phaethornis ruber</i> (Linnaeus, 1758)	4 2		3	6	15
<i>Phaethornis superciliosus</i> (Linnaeus, 1766)	1 4		4		9
<i>Philohydor lictor</i> (Lichtenstein, 1823)			1	1	2
<i>Phlegopsis nigromaculata</i> (d'Orbigny & Lafresnaye, 1837)	1				1
<i>Phyllomyias fasciatus</i> (Thunberg, 1822)	1				1
<i>Piaya cayana</i> (Linnaeus, 1766)	6			3	9
<i>Picidae</i> Leach, 1820	1 1				2
<i>Pionus menstruus</i> (Linnaeus, 1766)	5				5
<i>Pipra fasciicauda</i> Hellmayr, 1906	1				1
<i>Pitangus sulphuratus</i> (Linnaeus, 1766)	3 5		9	4	21
<i>Podilymbus podiceps</i> (Linnaeus, 1758)	1	00			100
<i>Porzana albicollis</i> (Vieillot, 1819)			4		4
<i>Progne tapera</i> (Vieillot, 1817)			1		1
<i>Pyriglena leuconota</i> (Spix, 1824)	3 1			1	5
<i>Pyrrhura amazonum</i> Hellmayr, 1906	30 20		12	25	87
<i>Pyrrhura lepida</i> (Wagler, 1832)				3	3
<i>Pyrrhura picta</i> (Statius Muller, 1776)	13			6	19
<i>Querula purpurata</i> (Statius Muller, 1776)	1			1	2
<i>Ramphastos tucanus</i> Linnaeus, 1758	1			1	2

Continua...

...continuação

Táxons de Aves em Capão de Mata	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Ramphastos vitellinus</i> Lichtenstein, 1823	1				1
<i>Ramphocelus carbo</i> (Pallas, 1764)	2		3	1	6
<i>Rupornis magnirostris</i> (Gmelin, 1788)	2 1			3	6
<i>Saltator cf. similis</i> d'Orbigny & Lafresnaye, 1837				1	1
<i>Saltator coerulescens</i> Vieillot, 1817	1				1
<i>Saltator grossus</i> (Linnaeus, 1766)	1			1	2
<i>Saltator maximus</i> (Statius Muller, 1776)	5 5		1	5	16
<i>Sarcoramphus papa</i> (Linnaeus, 1758)			1		1
<i>Schistochlamys melanopis</i> (Latham, 1790)	13 5		28	16	62
<i>Sclerurus mexicanus</i> Sclater, 1857	1				1
<i>Sporophila angolensis</i> (Linnaeus, 1766)	7 2			3	12
<i>Sporophila maximiliani</i> (Cabanis, 1851)			1		1
<i>Sporophila nigricollis</i> (Vieillot, 1823)	1 4		12	2	19
<i>Sporophila</i> sp.	1		4		5
<i>Stelgidopteryx ruficollis</i> (Vieillot, 1817)	1		2		3
<i>Synallaxis albescens</i> Temminck, 1823			1		1
<i>Synallaxis frontalis</i> Pelzeln, 1859	9 4		7	11	31
<i>Synallaxis scutata</i> Sclater, 1859	1 1			4	6
<i>Tachornis squamata</i> (Cassin, 1853)	1		2		3
<i>Tachybaptus dominicus</i> (Linnaeus, 1766)	12		7		19
<i>Tachycineta albiventer</i> (Boddaert, 1783)	1				1
<i>Tachyphonus rufus</i> (Boddaert, 1783)	11 8		21	22	62
<i>Tapera naevia</i> (Linnaeus, 1766)	3 1				4
<i>Taraba major</i> (Vieillot, 1816)	1 4			1	6
<i>Terenotriccus erythrurus</i> (Cabanis, 1847)	1		1	1	3
<i>Thalurania furcata</i> (Gmelin, 1788)	9 14		13	39	75
<i>Thamnophilus stictocephalus</i> Pelzeln, 1868	2			4	6
<i>Thamnophilus torquatus</i> Swainson, 1825	6 5				11
<i>Thraupis episcopus</i> (Linnaeus, 1766)	6 1	4	8	4	32
<i>Thraupis palmarum</i> (Wied, 1823)	1 5			1	7
<i>Todirostrum cinereum</i> (Linnaeus, 1766)	27 4		20	21	72
<i>Todirostrum maculatum</i> (Desmarest, 1806)	1			1	2
<i>Tolmomyias flaviventris</i> (Wied, 1831)	6 10		4	16	36
<i>Tolmomyias poliocephalus</i> (Taczanowski, 1884)	2				2
<i>Tolmomyias sulphurescens</i> (Spix, 1825)	2 3				5
<i>Tringa solitaria</i> Wilson, 1813	1				1
Trochilidae Vigors, 1825	4 2		1	12	19
<i>Troglodytes musculus</i> Naumann, 1823	2 3		2		7
<i>Trogon melanurus</i> Swainson, 1838	5		3		8
<i>Trogon rufus</i> Gmelin, 1788	1		1		2
<i>Trogon viridis</i> Linnaeus, 1766	3		1		4

Continua...

...continuação

Táxons de Aves em Capão de Mata	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Turdus albicollis</i> Vieillot, 1818	3 1				4
<i>Turdus amaurochalinus</i> Cabanis, 1850			1	1	2
<i>Turdus fumigatus</i> Lichtenstein, 1823	1				1
<i>Turdus leucomelas</i> Vieillot, 1818	47 23		44	28	142
<i>Tyrannidae</i> Vigors, 1825				1	1
<i>Tyrannulus elatus</i> (Latham, 1790)	3				3
<i>Tyrannus albogularis</i> Burmeister, 1856				4	4
<i>Tyrannus melancholicus</i> Vieillot, 1819	13 11		16	13	53
<i>Vanellus chilensis</i> (Molina, 1782)	1				1
<i>Veniliornis affinis</i> (Swainson, 1821)			1	2	3
<i>Vireo altiloquus</i> (Vieillot, 1808)	1				1
<i>Vireo olivaceus</i> (Linnaeus, 1766)	31 29		25	41	126
<i>Volatinia jacarina</i> (Linnaeus, 1766)			6	2	8
<i>Willisornis poecilinotus</i> (Cabanis, 1847)	4				4
<i>Xenops minutus</i> (Sparman, 1788)	1 1			1	3
<i>Xiphocolaptes</i> sp.				1	1
<i>Xiphorhynchus guttatus</i> (Lichtenstein, 1820)	2				2
<i>Zonotrichia capensis</i> (Statius Muller, 1776)	10 2		10	4	26
Nº Total de Exemplares	520	581	498	599	2.198