

ANEXO XIX-E

TABELA DAS AVES REGISTRADAS NAS MATAS DE TRANSIÇÃO DOS BLOCOS A, B, C, D DO CORPO S11D

Táxons de Aves em Matas de Transição	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Amazilia fimbriata</i> (Gmelin, 1788)	1		1	3	5
<i>Amazona ochrocephala</i> (Gmelin, 1788)				1	1
<i>Amazona</i> sp.				4	4
<i>Anabazenops dorsalis</i> cf (Sclater & Salvin, 1880)	1				1
<i>Ara chloropterus</i> Gray, 1859	13			6	19
<i>Aratinga jandaya</i> (Gmelin, 1788)	6				6
<i>Aratinga leucophthalma</i> (Statius Muller, 1776)				4	4
<i>Arremon taciturnus</i> (Hermann, 1783)	7 7 2			16	32
<i>Automolus paraensis</i> cf Hartert, 1902			2		2
<i>Basileuterus culicivorus</i> (Deppe, 1830)	3 2 3			4	12
<i>Basileuterus flaveolus</i> (Baird, 1865)	4		2	11	17
<i>Brotogeris chrysoptera</i> (Linnaeus, 1766)	6			3	9
<i>Campephilus rubricollis</i> (Boddaert, 1783)				2	2
<i>Camptostoma obsoletum</i> (Temminck, 1824)				4	4
<i>Campylopterus largipennis</i> (Boddaert, 1783)	1 1				2
<i>Campylorhynchus turdinus</i> (Wied, 1831)	1				1
<i>Cercomacra cinerascens</i> (Sclater, 1857)	1				1
<i>Chaetura spinicauda</i> (Temminck, 1839)				1	1
<i>Chiroxiphia pareola</i> (Linnaeus, 1766)	4 1 2			5	12
<i>Cissopis leverianus</i> (Gmelin, 1788)	1				1
<i>Claravis pretiosa</i> (Ferrari-Perez, 1886)	1				1
<i>Coereba flaveola</i> (Linnaeus, 1758)				2	2
<i>Colaptes melanochloros</i> (Gmelin, 1788)				2	2
<i>Coragyps atratus</i> (Bechstein, 1793)	1				1
<i>Corythopsis torquatus</i> (Tschudi, 1844)				3	3
<i>Crypturellus cinereus</i> (Gmelin, 1789)	1				1
<i>Crypturellus parvirostris</i> (Wagler, 1827)	1				1
<i>Crypturellus soui</i> (Hermann, 1783)	1				1
<i>Crypturellus strigulosus</i> (Temminck, 1815)	1			1	2
<i>Crypturellus tataupa</i> (Temminck, 1815)	5				5
<i>Cyanerpes cyaneus</i> (Linnaeus, 1766)	4 1				5
<i>Cyanocorax cyanopogon</i> (Wied, 1821)	2			1	3
<i>Cyclarhis gujanensis</i> (Gmelin, 1789)				4	4
<i>Cymbilaimus lineatus</i> (Leach, 1814)	1				1
<i>Dacnis cayana</i> (Linnaeus, 1766)	2			6	8
<i>Dendrocincla fuliginosa</i> (Vieillot, 1818)	1				1
Dendrocolaptidae n.i.				1	1
<i>Dendroplex picus</i> (Gmelin, 1788)	1			1	2
<i>Elaenia flavogaster</i> (Thunberg, 1822)	1			4	5
<i>Empidonomus varius</i> (Vieillot, 1818)	1				1
<i>Epinecrophylla leucophthalma</i> (Pelzeln, 1868)	1			2	3
<i>Epinecrophylla ornata</i> (Sclater, 1853)	2				2
<i>Euphonia chlorotica</i> (Linnaeus, 1766)	3			6	9
<i>Falco ruficularis</i> Daudin, 1800	1				1
<i>Falco sparverius</i> Linnaeus, 1758				1	1
<i>Formicarius analis</i> (d'Orbigny & Lafresnaye, 1837)	1				1
<i>Formicarius colma</i> Boddaert, 1783	2		1		3
<i>Formicivora grisea</i> (Boddaert, 1783)	4		1	4	9
<i>Irislla cyanicollis</i> Cassin, 1851	1		1	2	4

Continua...

...continuação

Táxons de Aves em Matas de Transição	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Zris2la Zris2la</i> (Linnaeus, 1766)				1	1
<i>Glaucis hirsutus</i> (Gmelin, 1788)				1	1
<i>Glyphorhynchus spirurus</i> (Vieillot, 1819)	1 2		1	4	8
<i>Hemithraupis guira</i> (Linnaeus, 1766)	9			7	16
<i>Hemitriccus margaritaceiventer</i> (d'Orbigny & Lafresnaye, 1837)	2			2	4
<i>Hemitriccus minor</i> (Sneath, 1907)	7		1	5	13
<i>Herpsilochmus rufimarginatus</i> (Temminck, 1822)				1	1
<i>Hirundinea ferruginea</i> (Gmelin, 1788)				1	1
<i>Hylopezus macularius</i> (Temminck, 1823)	3			1	4
<i>Hylophilus muscicapinus</i> Sclater & Salvin, 1873	1			1	2
<i>Hypocnemis cantator</i> (Boddaert, 1783)	7 2			4	13
<i>Icterus cayanensis</i> (Linnaeus, 1766)	1			1	2
<i>Lathrotriccus euleri</i> (Cabanis, 1868)	1			2	3
<i>Legatus leucophaeus</i> (Vieillot, 1818)				4	4
<i>Lepidothrix iris</i> (Schinz, 1851)	1				1
<i>Leptopogon amaurocephalus</i> Tschudi, 1846	1 1		2	2	6
<i>Leptotila rufaxilla</i> (Richard & Bernard, 1792)				2	2
<i>Leptotila verreauxi</i> Bonaparte, 1855				1	1
<i>Lipaugus vociferans</i> (Wied, 1820)	8			17	25
<i>Lophotriccus galeatus</i> (Boddaert, 1783)	1 2			4	7
<i>Machaeropterus pyrocephalus</i> (Sclater, 1852)	1		1		2
<i>Manacus manacus</i> (Linnaeus, 1766)	3 2		1	2	8
<i>Melanerpes cruentatus</i> (Boddaert, 1783)	1				1
<i>Microcerculus marginatus</i> (Sclater, 1855)				1	1
<i>Mionectes macconnelli</i> (Chubb, 1919)	1			1	2
<i>Mionectes oleagineus</i> (Lichtenstein, 1823)	1				1
<i>Monasa nigrifrons</i> (Spix, 1824)	1				1
<i>Myiarchus tuberculifer</i> (d'Orbigny & Lafresnaye, 1837)	6				6
<i>Myiobius barbatus</i> (Gmelin, 1789)	1 1			1	3
<i>Myiodynastes maculatus</i> (Statius Muller, 1776)				4	4
<i>Myiopagis viridicata</i> (Vieillot, 1817)			1		1
<i>Myiornis ecaudatus</i> (d'Orbigny & Lafresnaye, 1837)	6			1	7
<i>Myiozetetes cayanensis</i> (Linnaeus, 1766)				4	4
<i>Myrmoborus myotherinus</i> (Spix, 1825)	10 2		2	4	18
<i>Myrmotherula axillaris</i> (Vieillot, 1817)	3				3
<i>Myrmotherula brachyura</i> (Hermann, 1783)	5			5	10
<i>Myrmotherula hauxwelli</i> (Sclater, 1857)			1	1	2
<i>Myrmotherula longipennis</i> Pelzeln, 1868			1		1
<i>Myrmotherula menetriesii</i> (d'Orbigny, 1837)			1		1
<i>Neopelma pallescens</i> (Lafresnaye, 1853)			1		1
<i>Onychorhynchus coronatus</i> (Statius Muller, 1776)			1		1
<i>Ornithion inerme</i> Hartlaub, 1853	1			1	2
<i>Pachyrhamphus polychopterus</i> (Vieillot, 1818)	4				4
<i>Patagioenas cayennensis</i> (Bonnaterre, 1792)				1	1
<i>Patagioenas subvinacea</i> (Lawrence, 1868)	5				5
<i>Phaethornis bourcierii</i> (Lesson, 1832)	1				1
<i>Phaethornis ruber</i> (Linnaeus, 1758)	13			8	21
<i>Phaethornis</i> sp.				1	1
<i>Phaethornis superciliosus</i> (Linnaeus, 1766)	9 1	0	4	5	28

Continua...

...continuação

Táxons de Aves em Matas de Transição	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Pheugopedius coraya</i> (Gmelin, 1789)	1			3	4
<i>Pheugopedius genibarbis</i> (Swainson, 1838)				1	1
<i>Philydor erythrocerum</i> (Pelzeln, 1859)			1		1
<i>Phlegopsis nigromaculata</i> (d'Orbigny & Lafresnaye, 1837)				1	1
<i>Piaya cayana</i> (Linnaeus, 1766)	1			6	7
Picidae n.i.	3			1	4
<i>Pionites leucogaster</i> (Kuhl, 1820)				2	2
<i>Pionus fuscus</i> (Statius Muller, 1776)				2	2
<i>Pionus menstruus</i> (Linnaeus, 1766)	6			25	31
<i>Pipra fasciicauda</i> Hellmayr, 1906	4			2	6
<i>Pipra rubrocapilla</i> Temminck, 1821	3 6			1	10
Pipridae n.i.				1	1
<i>Piprites chloris</i> (Temminck, 1822)				1	1
<i>Pitangus sulphuratus</i> (Linnaeus, 1766)				4	4
<i>Poecilotriccus capitalis</i> (Sclater, 1857)				1	1
<i>Procnias albus</i> (Hermann, 1783)				1	1
<i>Progne chalybea</i> (Gmelin, 1789)				6	6
Psittacidae n.i.	12				12
<i>Pyriglena leuconota</i> (Spix, 1824)	6 1 2			4	13
<i>Pyrrhura amazonum</i> Hellmayr, 1906	13			20	33
<i>Ramphastos vitellinus</i> Lichtenstein, 1823				2	2
<i>Ramphocaenus melanurus</i> Vieillot, 1819	1		1		2
<i>Ramphocelus carbo</i> (Pallas, 1764)				8	8
<i>Rhytipterna simplex</i> (Lichtenstein, 1823)				1	1
<i>Rupornis magnirostris</i> (Gmelin, 1788)				4	4
<i>Saltator coerulescens</i> Vieillot, 1817				1	1
<i>Saltator grossus</i> (Linnaeus, 1766)				1	1
<i>Saltator maximus</i> (Statius Muller, 1776)	4		1	5	10
<i>Schiffornis turdina</i> (Wied, 1831)	2		2	6	10
<i>Schistochlamys melanopsis</i> (Latham, 1790)				2	2
<i>Sclerurus mexicanus</i> Sclater, 1857	2			3	5
<i>Selenidera gouldii</i> (Natterer, 1837)	1 1				2
<i>Sporophila angolensis</i> (Linnaeus, 1766)				2	2
<i>Synallaxis cherriei</i> Gyldenstolpe, 1930	1		1		2
<i>Synallaxis frontalis</i> Pelzeln, 1859				2	2
<i>Synallaxis scutata</i> Sclater, 1859			1		1
<i>Tachornis squamata</i> (Cassin, 1853)				8	8
<i>Tachyphonus rufus</i> (Boddaert, 1783)	6			7	13
<i>Tapera naevia</i> (Linnaeus, 1766)	2				2
<i>Taraba major</i> (Vieillot, 1816)	1 1			1	3
<i>Terenotriccus erythrurus</i> (Cabanis, 1847)	4			14	18
<i>Thalurania furcata</i> (Gmelin, 1788)	6 8 2			2	18
<i>Thamnomanes ardesiacus</i> (Sclater & Salvin, 1867)	1				1
<i>Thamnomanes caesius</i> (Temminck, 1820)	2 2 2			2	8
<i>Thamnophilus schistaceus</i> d'Orbigny, 1835	1				1
<i>Thamnophilus stictocephalus</i> Pelzeln, 1868	4 1 4			5	14
<i>Thraupis episcopus</i> (Linnaeus, 1766)				7	7
<i>Thraupis palmarum</i> (Wied, 1823)				4	4
<i>Tinamus tao</i> Temminck, 1815				1	1

Continua...

...continuação

Táxons de Aves em Matas de Transição	Bloco A	Bloco B	Bloco C	Bloco D	Total Geral
<i>Todirostrum cinereum</i> (Linnaeus, 1766)	6			2	8
<i>Tolmomyias flaviventris</i> (Wied, 1831)	7			5	12
<i>Tolmomyias sulphurescens</i> (Spix, 1825)				2	2
Trochilidae n.i.	6			4	10
<i>Troglodytes musculus</i> Naumann, 1823				1	1
<i>Trogon melanurus</i> Swainson, 1838	2			1	3
<i>Trogon rufus</i> Gmelin, 1788	1			2	3
<i>Trogon</i> sp.	1				1
<i>Trogon viridis</i> Linnaeus, 1766	2			2	4
<i>Turdus albicollis</i> Vieillot, 1818	2			4	6
<i>Turdus fumigatus</i> Lichtenstein, 1823				1	1
<i>Turdus leucomelas</i> Vieillot, 1818	9			7	16
<i>Tyrannulus elatus</i> (Latham, 1790)				1	1
<i>Tyrannus albogularis</i> Burmeister, 1856				1	1
<i>Tyrannus melancholicus</i> Vieillot, 1819	2			1	3
<i>Vireo olivaceus</i> (Linnaeus, 1766)	23			24	47
<i>Willisornis poecilinotus</i> (Cabanis, 1847)	4	4	6	3	17
<i>Xenops minutus</i> (Sparrman, 1788)	3	2	3	1	9
<i>Xiphocolaptes</i> sp.	1				1
<i>Xiphorhynchus guttatus</i> (Lichtenstein, 1820)	1			2	3
<i>Xiphorhynchus spixii</i> (Lesson, 1830)	1		2	3	6
<i>Zonotrichia capensis</i> (Statius Muller, 1776)	2				2
Nº Total de Exemplares	345	78	61	442	926