

## ANEXO XIX-G

### TABELA DAS AVES REGISTRADAS NAS SAVANAS-ESTÉPICAS DOS BLOCOS A, B, C, D DO CORPO S11D



Táxons de Aves em Savanas- Estépicas	Campo Brejoso				Campo Rupestre				Total
	Bloco A	Bloco B	Bloco C	Bloco D	Bloco A	Bloco B	Bloco C	Bloco D	
<i>Accipiter bicolor</i> (Vieillot, 1817)	1								1
<i>Amazilia fimbriata</i> (Gmelin, 1788)	11	1 4 1			7	4	10	8	46
<i>Amazilia versicolor</i> (Vieillot, 1818)	1				5		1		7
<i>Amazonetta brasiliensis</i> (Gmelin, 1789)				4					4
<i>Anhinga anhinga</i> (Linnaeus, 1766)	1 1			2	1		6		11
<i>Anthracothorax nigricollis</i> (Vieillot, 1817)	6 1			4 1 3			5	12	32
<i>Aphantochroa cirrochloris</i> (Vieillot, 1818)								2	2
<i>Apodidae</i> Olphe-Galliard, 1887				2					2
<i>Ara chloropterus</i> Gray, 1859	6 4		2	14	16		1	3	46
<i>Ara</i> sp.								8	8
<i>Aramides cajanea</i> (Statius Muller, 1776)			2						2
<i>Aratinga jandaya</i> (Gmelin, 1788)		4 2 5			6	6 1 8			32
<i>Aratinga leucophthalma</i> (Statius Muller, 1776)	20 6		34	34 7 7		0	5	6	182
<i>Arremon taciturnus</i> (Hermann, 1783)					1				1
<i>Basileuterus culicivorus</i> (Deppe, 1830)	2		1		1	4			8
<i>Basileuterus flaveolus</i> (Baird, 1865)	20	6 2	9		17	15	5	25	99
<i>Brotogeris chiriri</i> (Vieillot, 1818)		4				10			14
<i>Brotogeris chrysoptera</i> (Linnaeus, 1766)	2 1		26		10		3	31	73
<i>Bubulcus ibis</i> (Linnaeus, 1758)					1				1
<i>Buteo albicaudatus</i> Vieillot, 1816		1			1 1				3
<i>Buteo brachyurus</i> Vieillot, 1816						1			1
<i>Buteo nitidus</i> (Latham, 1790)							1		1
<i>Butorides striata</i> (Linnaeus, 1758)	2	8	4	7					21
<i>Cairina moschata</i> (Linnaeus, 1758)		4							4
<i>Camptostoma obsoletum</i> (Temminck, 1824)	7 4		13	1 9 4			9	11	58
<i>Campylopterus largipennis</i> (Boddaert, 1783)	1 1			1	7				10
<i>Caprimulgus rufus</i> Boddaert, 1783		1		1	1				3
<i>Cathartes aura</i> (Linnaeus, 1758)	1 2			2	1 1			1	8
<i>Catharus fuscescens</i> (Stephens, 1817)	3				1				4
<i>Cercomacra cinerascens</i> (Sclater, 1857)	1								1

Continua...

..Continuação

Táxons de Aves em Savanas- Estépicas	Campo Brejoso				Campo Rupestre				Total
	Bloco A	Bloco B	Bloco C	Bloco D	Bloco A	Bloco B	Bloco C	Bloco D	
<i>Certhiaxis cinnamomeus</i> (Gmelin, 1788)								1	1
<i>Chaetura spinicaudus</i> (Temminck, 1839)				1				1	2
<i>Chloroceryle aenea</i> (Pallas, 1764)		1	1						2
<i>Chloroceryle</i> sp.					1				1
<i>Chrysolampis mosquitus</i> (Linnaeus, 1758)								1	1
<i>Claravis pretiosa</i> (Ferrari-Perez, 1886)	2 1				1	1	1	1	7
<i>Cnemotriccus fuscatus</i> (Wied, 1831)						1			1
<i>Coereba flaveola</i> (Linnaeus, 1758)	9 1			9	4 2			13	38
<i>Colaptes melanochloros</i> (Gmelin, 1788)	2					1	1		4
<i>Columbina talpacoti</i> (Temminck, 1811)	1	3 2 1			2	1 2 3			15
<i>Conopias trivirgatus</i> (Wied, 1831) cf.							1		1
<i>Coragyps atratus</i> (Bechstein, 1793)	3		2			2		3	10
<i>Crotophaga ani</i> Linnaeus, 1758			4	1	1				6
<i>Crotophaga major</i> Gmelin, 1788			3	1			2	7	13
<i>Crypturellus cinereus</i> (Gmelin, 1789)	1		1		1 2			2	7
<i>Crypturellus parvirostris</i> (Wagler, 1827)	4	4 4 3			3	22	4 5		49
<i>Crypturellus soui</i> (Hermann, 1783)			1						1
<i>Crypturellus tataupa</i> (Temminck, 1815)	3	3 1	1 6		7		8 1	9	57
<i>Crypturellus undulatus</i> (Temminck, 1815)							1		1
<i>Cyanerpes cyaneus</i> (Linnaeus, 1766)	7 1			8	5	4	2	11	38
<i>Cyanocorax cyanopogon</i> (Wied, 1821)					3	6		1	10
<i>Cyclarhis gujanensis</i> (Gmelin, 1789)		4 7 9			4	3 8		12	47
<i>Dacnis cayana</i> (Linnaeus, 1766)	1		4			2		2	9
<i>Dendrocincla fuliginosa</i> (Vieillot, 1818)					1		1		2
<i>Dendroplex picus</i> (Gmelin, 1788)	4	5 2					1 3		15
<i>Donacobius atricapilla</i> (Linnaeus, 1766)		2	2	6					10
<i>Elaenia albiceps</i> (d'Orbigny & Lafresnaye, 1837)	1		7		4		1		13
<i>Elaenia chiriquensis</i> Lawrence, 1865	16	10 26	13		27		27	6	125
<i>Elaenia cristata</i> Pelzeln, 1868	19	7	16 12		42	14 23	42		175
<i>Elaenia flavogaster</i> (Thunberg, 1822)	13	9	18 16		25	17 20	25		143
<i>Elaenia parvirostris</i> Pelzeln, 1868	4		1		5	13	1		24
<i>Elaenia</i> sp.		1			1		2	4	8
<i>Empidonomus varius</i> (Vieillot, 1818)		2 6 2			9	13	8 7		47
<i>Euphonia chlorotica</i> (Linnaeus, 1766)	3 2		4	3 8 9			10	13	52

Continua...

..Continuação

Táxons de Aves em Savanas- Estépicas	Campo Brejoso				Campo Rupestre				Total
	Bloco A	Bloco B	Bloco C	Bloco D	Bloco A	Bloco B	Bloco C	Bloco D	
<i>Euphonia violacea</i> (Linnaeus, 1758)					1			2	3
<i>Euscarthmus meloryphus</i> Wied, 1831								2	2
<i>Falco sparverius</i> Linnaeus, 1758					1		1		2
<i>Falconidae</i> Leach, 1820			1		1				2
<i>Formicarius colma</i> Boddaert, 1783					1				1
<i>Formicivora grisea</i> (Boddaert, 1783)	20	6 8 8			21	12	7	31	113
<i>Gallinago paraguaiæ</i> (Vieillot, 1816)	1	3	3	7					14
<i>Gallinula chloropus</i> (Linnaeus, 1758)				1					1
<i>Glaucis hirsutus</i> (Gmelin, 1788)								2	2
<i>Grallaria varia</i> (Boddaert, 1783)						1			1
<i>Heliothryx auritus</i> (Gmelin, 1788)				1	2	1	1	3	8
<i>Hemitriccus margaritaceiventer</i> (d'Orbigny & Lafresnaye, 1837)	29	9	12 12		34	22 21	31		170
<i>Hemitriccus minor</i> (Sneath, 1907)					1				1
<i>Herpetotheres cachinnans</i> (Linnaeus, 1758)							2		2
<i>Herpsilochmus rufimarginatus</i> (Temminck, 1822)					1	1			2
<i>Hirundinea ferruginea</i> (Gmelin, 1788)	1 1				1 1			5	9
<i>Hirundo rustica</i> Linnaeus, 1758								1	1
<i>Hylocharis cyanus</i> (Vieillot, 1818)					1				1
<i>Hylocharis sapphirina</i> (Gmelin, 1788)								1	1
<i>Inezia inornata</i> (Salvadori, 1897)								1	1
<i>Jacana jacana</i> (Linnaeus, 1766)		11		2					13
<i>Laterallus exilis</i> (Temminck, 1831)	2	1	5	10	4 2			6	30
<i>Lathrotriccus euleri</i> (Cabanis, 1868)					1				1
<i>Legatus leucophaius</i> (Vieillot, 1818)	3			1					4
<i>Leptotila rufaxilla</i> (Richard & Bernard, 1792)	1 1		4	8 5 1			5	10	35
<i>Leptotila verreauxi</i> Bonaparte, 1855	2	4 2 4			2	12	2 4		32
<i>Leucopternis albicollis</i> (Latham, 1790)	1								1
<i>Lipaugus vociferans</i> (Wied, 1820)				3			3	1	7
<i>Lophotriccus galeatus</i> (Boddaert, 1783)					1				1
<i>Megaceryle torquata</i> (Linnaeus, 1766)					2				2
<i>Megarynchus pitangua</i> (Linnaeus, 1766)				1				2	3
<i>Megascops choliba</i> (Vieillot, 1817)								1	1
<i>Molothrus bonariensis</i> (Gmelin, 1789)		1							1
<i>Monasa nigrifrons</i> (Spix, 1824)					1				1
<i>Mycteria americana</i> Linnaeus, 1758				30					30
<i>Myiarchus ferox</i> (Gmelin, 1789)	1	3 5 4			4	3 3 5			28

Continua...

Continuação...

Táxons de Aves em Savanas- Estépicas	Campo Brejoso				Campo Rupestre				Total
	Bloco A	Bloco B	Bloco C	Bloco D	Bloco A	Bloco B	Bloco C	Bloco D	
<i>Myiarchus tuberculifer</i> (d'Orbigny & Lafresnaye, 1837)						1			1
<i>Myiodynastes maculatus</i> (Statius Muller, 1776)	1				2		4		7
<i>Myiopagis viridicata</i> (Vieillot, 1817)	2				3	4			9
<i>Myiophobus fasciatus</i> (Statius Muller, 1776)	5	8 5 6			16	1		9	50
<i>Myiornis ecaudatus</i> (d'Orbigny & Lafresnaye, 1837)	1				1				2
<i>Myiozetetes cayanensis</i> (Linnaeus, 1766)	4	5 7 8			10	4 3		12	53
<i>Myiozetetes similis</i> (Spix, 1825)		1 2 2			1				6
<i>Myrmotherula brachyura</i> (Hermann, 1783)				1	2				3
<i>Neopelma pallescens</i> (Lafresnaye, 1853)	5							1	6
<i>Pachyrampus marginatus</i> (Lichtenstein, 1823)								1	1
<i>Pachyrampus polychopterus</i> (Vieillot, 1818)	4 5				4 4		1	2	20
<i>Paroaria gularis</i> (Linnaeus, 1766)					2				2
<i>Patagioenas cayennensis</i> (Bonnaterre, 1792)					2			2	4
<i>Patagioenas picazuro</i> (Temminck, 1813)					2				2
<i>Patagioenas</i> sp.				1	4				5
<i>Patagioenas speciosa</i> (Gmelin, 1789)	3	3 1 3			1		2		13
<i>Patagioenas subvinacea</i> (Lawrence, 1868)			1	1				1	3
<i>Penelope</i> sp.	1								1
<i>Penelope superciliaris</i> Temminck, 1815								1	1
<i>Phacellodomus ruber</i> (Vieillot, 1817)								1	1
<i>Phaeomyias murina</i> (Spix, 1825)	14	3 8			3	1 2			31
<i>Phaethornis hispidus</i> (Gould, 1846)								1	1
<i>Phaethornis malaris</i> (Nordmann, 1835)	2								2
<i>Phaethornis ruber</i> (Linnaeus, 1758)	1		2		7		4		14
<i>Phaethornis superciliosus</i> (Linnaeus, 1766)					2	6			8
<i>Phalacrocorax brasilianus</i> (Gmelin, 1789)					2				2
<i>Philohydor lictor</i> (Lichtenstein, 1823)	1 1			1			1		4
<i>Piaya cayana</i> (Linnaeus, 1766)			1	3 1 2					7
<i>Picidae</i> Leach, 1820	1						1		2
<i>Pionus fuscus</i> (Statius Muller, 1776)								1	1
<i>Pionus menstruus</i> (Linnaeus, 1766)						3		3	6
<i>Pitangus sulphuratus</i> (Linnaeus, 1766)	5 11		10	9 15	1		15	13	79

Continua...

Continuação...

Táxons de Aves em Savanas- Estépicas	Campo Brejoso				Campo Rupestre				Total
	Bloco A	Bloco B	Bloco C	Bloco D	Bloco A	Bloco B	Bloco C	Bloco D	
<i>Podager nacunda</i> (Vieillot, 1817)								1	1
<i>Podilymbus podiceps</i> (Linnaeus, 1758)				1					1
<i>Porzana albicollis</i> (Vieillot, 1819)	3 2			3		1		1	10
<i>Procnias albus</i> (Hermann, 1783)			1				4		5
<i>Progne chalybea</i> (Gmelin, 1789)	1 1			14	6			12	34
<i>Progne subis</i> (Linnaeus, 1758)	15								15
<i>Progne tapera</i> (Vieillot, 1817)			1		8 1			5	15
<i>Psarocolius viridis</i> (Statius Muller, 1776)							1		1
<i>Psittacidae</i> Rafinesque, 1815								2	2
<i>Pteroglossus aracari</i> (Linnaeus, 1758)							1		1
<i>Pygochelidon cyanoleuca</i> (Vieillot, 1817)				1					1
<i>Pyrrhura amazonum</i> Hellmayr, 1906	1	14 19	21		34	20	6	50	165
<i>Pyrrhura lepida</i> (Wagler, 1832)								3	3
<i>Pyrrhura picta</i> (Statius Muller, 1776)	8 2				17		32		59
<i>Querula purpurata</i> (Statius Muller, 1776)	1								1
<i>Rallidae</i> Rafinesque, 1815					1				1
<i>Ramphastos tucanus</i> Linnaeus, 1758							1		1
<i>Ramphastos vitellinus</i> Lichtenstein, 1823							1		1
<i>Ramphocelus carbo</i> (Pallas, 1764)	1		1	1					3
<i>Rupornis magnirostris</i> (Gmelin, 1788)		3 2 1					1 4 4		15
<i>Saltator atricollis</i> Vieillot, 1817 cf.	4						1		5
<i>Saltator coerulescens</i> Vieillot, 1817					1			1	2
<i>Saltator grossus</i> (Linnaeus, 1766)					1				1
<i>Saltator maximus</i> (Statius Muller, 1776)	1		1 1		7	2 2 2			16
<i>Sarcoramphus papa</i> (Linnaeus, 1758)			1				2		3
<i>Schistochlamys melanopsis</i> (Latham, 1790)	20 3		16	8 10	9		11	29	106
<i>Sporophila americana</i> (Gmelin, 1789)								1	1
<i>Sporophila angolensis</i> (Linnaeus, 1766)	5	2 1 1			3	1 1 5			19
<i>Sporophila caerulescens</i> (Vieillot, 1823)				1	1				2
<i>Sporophila nigricollis</i> (Vieillot, 1823)		6 8 6			5	1 3 5			34
<i>Sporophila</i> sp.					3			2	5
<i>Stelgidopteryx ruficollis</i> (Vieillot, 1817)	2		3 7		6	1 2 2			23
<i>Sturnella militaris</i> (Linnaeus, 1758)	1						1		2
<i>Synallaxis albescens</i> Temminck, 1823		3		2	3		1		9
<i>Synallaxis frontalis</i> Pelzeln, 1859	17	6 9 9			25	20	7	41	134
<i>Synallaxis scutata</i> Sclater, 1859	2							3	5

Continua...

Continuação...

Táxons de Aves em Savanas-Estépicas	Campo Brejoso				Campo Rupestre				Total
	Bloco A	Bloco B	Bloco C	Bloco D	Bloco A	Bloco B	Bloco C	Bloco D	
<i>Tachornis squamata</i> (Cassin, 1853)	2		6			8			16
<i>Tachybaptus dominicus</i> (Linnaeus, 1766)		18							18
<i>Tachycineta albiventer</i> (Boddaert, 1783)	6				2				8
<i>Tachyphonus rufus</i> (Boddaert, 1783)	7	1 6 6			15	12	11	8	66
<i>Tapera naevia</i> (Linnaeus, 1766)	2		1 2		3	2 2 9			21
<i>Taraba major</i> (Vieillot, 1816)		4			1		1	1	7
<i>Terenotriccus erythrurus</i> (Cabanis, 1847)		1							1
<i>Thalurania furcata</i> (Gmelin, 1788)	16	6 9	7		33	88	27	41	227
<i>Thamnophilidae</i> Swainson, 1824		1							1
<i>Thamnophilus</i> sp.							1		1
<i>Thamnophilus torquatus</i> Swainson, 1825	6 4			6	7	7	5	16	51
<i>Thraupis episcopus</i> (Linnaeus, 1766)	5	2 6 5			9		5 6		38
<i>Thraupis palmarum</i> (Wied, 1823)	2		1		5				8
<i>Todirostrum cinereum</i> (Linnaeus, 1766)	6	8 13		13	14	8 14		22	98
<i>Todirostrum maculatum</i> (Desmarest, 1806)								1	1
<i>Tolmomyias flaviventris</i> (Wied, 1831)	3 3			9 9 8			1	7	40
<i>Tringa solitaria</i> Wilson, 1813	1	6	3	15					25
<i>Trochilidae</i> Vigors, 1825	1 1			6	10		1	13	32
<i>Troglodytes musculus</i> Naumann, 1823	2	3 9 4			14	6 6 3			47
<i>Trogon melanurus</i> Swainson, 1838	1		1	1	1 1				5
<i>Trogon viridis</i> Linnaeus, 1766			6				2		8
<i>Turdus amaurochalinus</i> Cabanis, 1850	2							1	3
<i>Turdus leucomelas</i> Vieillot, 1818	35	15 20	26		61	42 30	73		302
<i>Tyrannidae</i> Vigors, 1825			1				1	1	3
<i>Tyrannulus elatus</i> (Latham, 1790)								1	1
<i>Tyrannus albogularis</i> Burmeister, 1856	1 1			1			4		7
<i>Tyrannus melancholicus</i> Vieillot, 1819	22	55 30	27		33	37 31	35		270
<i>Vanellus chilensis</i> (Molina, 1782)	1	10	3	1 2 3				1	21
<i>Vireo olivaceus</i> (Linnaeus, 1766)	37	19 20	31		46	37 25	48		263
<i>Volatinia jacarina</i> (Linnaeus, 1766)	5 2		1	0	3 7		2	4	33
<i>Willisornis poecilinotus</i> (Cabanis, 1847)				1	3				4
<i>Xenops minutus</i> (Sparrman, 1788)					1				1
<i>Xiphorhynchus guttatus</i> (Lichtenstein, 1820)				2		1	1	3	7
<i>Zonotrichia capensis</i> (Statius Muller, 1776)	37	18 5	47		40	32 7	44		230
Nº Total de Exemplares	566 3	80 4	73 6	48	840 6	62 4	77	1.014	5.060