

| CAMPANHA BASELINE BM-S-8 - Carcará | ESTAÇÕES/RÉPLICAS |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|------------------------------------|-------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| AECOM/STATOIL - MACROFAUNA         | #1                |    |    | #2 |    |    | #3 |    |    | #4 |    |    | #5 |    |    |
| TÁXON                              | R1                | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 |
| Filo Nematoda                      | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Classe Enoplida                    | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Familia Anticomidae                | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Cephalanticoma gen. sp.</i>     | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  |
| Familia Thorocostomopsidae         | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Mesacanthion sp.</i>            | 0                 | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  |
| Familia Oxystominidae              | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Oxystomina sp.</i>              | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  |
| Familia Ironidae                   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Syringolaimus sp.</i>           | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Familia Leptosomatidae             | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Metacylicolaimus</i>            | 5                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 1  | 0  | 0  | 0  |
| Familia Oncholaimidae              | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Viscosia sp.</i>                | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  |
| Classe Oligochaeta                 | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  |
| Classe Polychaeta                  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Familia Paraonidae                 | 0                 | 1  | 1  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Familia Cossuridae                 | 0                 | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Familia Aelomastidae               | 0                 | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Familia Phyllodocidae              | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Familia Protodrilidae              | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  |
| Familia Capitellidae               | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Filo Arthropoda                    | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Sub-filo Crustacea                 | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Classe Malacostraca                | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |



## AECOM/STATOIL – BM-S-8 – Carcará-jun/2018

| CAMPANHA BASELINE BM-S-8 - Carcará                            | ESTAÇÕES/RÉPLICAS |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|---|-------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| AECOM/STATOIL - MACROFAUNA                                    | #1                |    |    | #2 |    |    | #3 |    |    | #4 |    |    | #5 |    |    |
| TÁXON   | R1                | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 |
| Ordem Isopoda Latreille, 1817                                 | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Subordem Asellota Latreille, 1802                             | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Família Desmosomatidae G.O. Sars, 1897                        | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  |
| Ordem Cumacea Krøyer, 1846                                    | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Família Bodotriidae T. scott, 1901                            | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Apocuma</i> sp.  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  |
| Ordem Tanaidacea Dana, 1849                                   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Subordem Apseudomorpha Sieg, 1980                             | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Família Apseudidae Leach, 1814                                | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Atlantapseudes</i> sp.                                     | 0                 | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Subordem Tanaidomorpha Sieg, 1980                             | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Família Neotanaidae Lang, 1956                                | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Neotanais</i> sp.  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Venusticus</i> cf. <i>thor</i> Araújo-Silva & Larsen, 2015 | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  |
| Família Tanaellidae Larsen & Wilson, 2002                     | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Tanaella</i> sp.   | 0                 | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Filo Mollusca   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Classe Gastropoda   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Família Eucyclidae Koken, 1896                                | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Calliotropis aeglees</i> (R. B. Watson, 1879)              | 1                 | 0  | 0  | 0  | 0  | 0  | 1  | 2  | 1  | 1  | 0  | 0  | 1  | 2  | 1  |
| <i>Calliotropis calatha</i> (Dall, 1927)                      | 1                 | 0  | 0  | 0  | 1  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 1  | 0  | 0  |
| Família Seguenziidae Verrill, 1884                            | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Fluxinella discula</i> (Dall, 1889)                        | 1                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Seguenzia hapala</i> Woodring, 1928                        | 1                 | 1  | 2  | 2  | 2  | 2  | 0  | 1  | 0  | 1  | 0  | 1  | 0  | 1  | 1  |
| <i>Brookula</i> sp.   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 1  | 0  | 1  | 0  |



## AECOM/STATOIL – BM-S-8 – Carcará-jun/2018

| CAMPANHA BASELINE BM-S-8 - Carcará<br>AECOM/STATOIL - MACROFAUNA<br>TÁXON | ESTAÇÕES/RÉPLICAS |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|---|-------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
|   | #1                |    |    | #2 |    |    | #3 |    |    | #4 |    |    | #5 |    |    |
|   | R1                | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 | R1 | R2 | R3 |
| Família Skeneidae W. Clark, 1851  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Skenea valvatoides</i> (Jeffreys, 1883)                                | 1                 | 0  | 1  | 1  | 1  | 0  | 0  | 0  | 0  | 2  | 1  | 1  | 0  | 0  | 0  |
| Família Rissoidae Gray, 1847  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Benthonella tenella</i> (Jeffreys, 1869)                               | 2                 | 1  | 0  | 0  | 0  | 1  | 1  | 0  | 0  | 1  | 1  | 1  | 0  | 2  | 0  |
| Classe Bivalvia   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Família Nuculidae Gray, 1824  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Nucula</i> sp.   | 0                 | 0  | 0  | 1  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  |
| Família Malletiidae H. Adams & A. Adams, 1858 (1846)                      | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Malletia dilatata</i> (Philippi, 1844)                                 | 0                 | 2  | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  |
| Família Bathyspinulidae Coan & Scott, 1997                                | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Tindariopsis aeolata</i> (Dall, 1889)                                  | 2                 | 0  | 0  | 2  | 0  | 0  | 2  | 3  | 1  | 3  | 1  | 1  | 3  | 1  | 1  |
| Limidae Rafinesque, 1815  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Limatula</i> sp.   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Semelidae Stoliczka, 1870   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Abra braziliensis</i> (E. A. Smith, 1885)                              | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 1  | 0  | 0  | 0  | 1  | 0  | 0  | 0  |
| Classe Scaphopoda   | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| Family ENTALINIDAE Chistikov, 1979  | 0                 | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  | 0  |
| <i>Pertusiconcha callithrix</i> (Dall, 1889)                              | 1                 | 1  | 0  | 0  | 0  | 1  | 2  | 0  | 1  | 2  | 0  | 1  | 1  | 0  | 0  |

