

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
1	1	127	40,43	22	<i>Blepharocalix salicifolius</i>	Myrtaceae
1	2	43	13,69	15	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	3	36	11,46	13	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	4	36	11,46	13	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	5	26	8,28	14	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	6	25	7,96	13	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	7	32	10,19	14	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	8	31	9,87	13	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	9	47	14,96	18	<i>Jacaranda micratha</i>	Bignoniaceae
1	10	40	12,73	16	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	11	40	12,73	16	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	12	23	7,32	5	<i>Citrus sinensis</i>	Rutaceae
1	13	76	24,19	25	<i>Hovenia dulcis</i>	Rhamnaceae
1	14	30	9,55	21	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	15	51	16,23	20	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	16	70	22,28	23	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	17	22	7,00	10	<i>Melia azedarach</i>	Meliaceae
1	18	252	80,21	38	<i>Ficus enormis</i>	Moraceae
1	19	37	11,78	9	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	20	46	14,64	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	21	28	8,91	17	<i>Prunus myrtifolia</i>	Rosaceae
1	22	18	5,73	6	<i>Guarea kunthiana</i>	Meliaceae
1	23	25	7,96	10	<i>Myrsine umbellata</i>	Myrsinaceae
1	24	45	14,32	18	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
1	25	25	7,96	9	<i>Alchornea triplinervia</i>	Euphorbiaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
1	26	39	12,41	14	<i>Ilex paraguayensis</i>	Aquifoliaceae
1	27	18	5,73	10	<i>Jacaranda micratha</i>	Bignoniaceae
1	28	68	21,65	22	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	29	31	9,87	11	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	30	37	11,78	19	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	31	57	18,14	24	<i>Melia azedarach</i>	Meliaceae
1	32	24	7,64	7	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	33	27	8,59	16	<i>strychnos brasiliensis</i>	Loganiaceae
1	34	49	15,60	17	<i>Solanum granulosum</i>	Solanaceae
1	35	54	17,19	9	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
1	36	340	108,23	45	<i>Cariniania estrellensis</i>	Lecythidaceae
1	37	27	8,59	13	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
1	38	17	5,41	12	<i>Zanthoxylum riedelianum</i>	Rutaceae
1	39	17	5,41	12	<i>Inga laurina</i>	Fab. Mimosoideae
1	40	56	17,83	14	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
1	41	53	16,87	18	<i>Cordia trichotoma</i>	Boragianaceae
1	42	68	21,65	14	<i>Ocotea puberola</i>	Lauraceae
1	43	20	6,37	12	<i>Xylosma ciliatifolia</i>	Salicaceae
1	44	29	9,23	17	<i>Rollinea silvatica</i>	Annonaceae
1	45	45	14,32	2	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	46	75	23,87	28	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	47	38	12,10	18	<i>Rollinea silvatica</i>	Annonaceae
1	48	46	14,64	20	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
1	49	22	7,00	13	<i>Myrsine umbellata</i>	Myrsinaceae
1	50	134	42,65	24	<i>Alchornea triplinervia</i>	Euphorbiaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
1	51	40	12,73	18	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
1	52	30	9,55	19	<i>Cecropia pachystachya</i>	Urticaceae
1	53	25	7,96	11	<i>Trema micrantha</i>	Cannabaceae
1	54	22	7,00	10	<i>Cabralea canjerana</i>	Meliaceae
1	55	17	5,41	8	<i>Jacaranda micratha</i>	Bignoniaceae
1	56	18	5,73	10	<i>Casearia sylvestris</i>	Salicaceae
1	57	40	12,73	18	<i>Rollinea silvatica</i>	Annonaceae
1	58	22	7,00	9	<i>Miconia sp</i>	Melastomataceae
1	59	64	20,37	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	60	109	34,70	22	<i>Cabralea canjerana</i>	Meliaceae
1	61	47	14,96	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	62	45	14,32	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	63	20	6,37	8	<i>Balfourodendron riedelianum</i>	Rutaceae
1	64	90	28,65	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	65	18	5,73	3	<i>Citrus sinensis</i>	Rutaceae
1	66	36	11,46	9	<i>Zanthoxylum riedelianum</i>	Rutaceae
1	67	27	8,59	12	<i>Jacaranda micratha</i>	Bignoniaceae
1	68	16	5,09	7	<i>Nectandra lanceolata</i>	Lauraceae
1	69	7	2,23	27	<i>Zanthoxylum riedelianum</i>	Rutaceae
1	70	27	8,59	13	<i>Cabralea canjerana</i>	Meliaceae
1	71	17	5,41	8	<i>Casearia sylvestris</i>	Salicaceae
1	72	108	34,38	20	<i>Campomanesia xanthocarpa</i>	Myrtaceae
1	73	50	15,92	20	<i>Jacaranda micratha</i>	Bignoniaceae
1	74	31	9,87	16	<i>Jacaranda micratha</i>	Bignoniaceae
1	75	134	42,65	30	<i>Inga uruguaiensis</i>	Fab. Mimosoideae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
1	76	37	11,78	18	<i>Zanthoxylum riedelianum</i>	Rutaceae
1	77	88	28,01	32	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
1	78	32	10,19	18	<i>Nectandra lanceolata</i>	Lauraceae
1	79	23	7,32	9	<i>Miconia sp</i>	Melastomataceae
1	80	33	10,50	9	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	81	45	14,32	3	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	82	64	20,37	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	83	68	21,65	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	84	62	19,74	28	<i>Jacaranda micratha</i>	Bignoniaceae
1	85	30	9,55	7	<i>Ilex theaezans</i>	Aquifoliaceae
1	86	30	9,55	9	<i>Myrsiaria floribunda</i>	Nyctaginaceae
1	87	42	13,37	16	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	88	39	12,41	15	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	89	25	7,96	11	<i>Miconia sp</i>	Melastomataceae
1	90	193	61,43	37	<i>Nectandra lanceolata</i>	Lauraceae
1	91	62	19,74	23	<i>Alchornea glandulosa</i>	Euphorbiaceae
1	92	24	7,64	13	<i>Cabralea canjerana</i>	Meliaceae
1	93	56	17,83	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
1	94	46	14,64	20	<i>Rollinea silvatica</i>	Annonaceae
2	1	33	10,50	20	<i>Myrsine umbellata</i>	Myrsinaceae
2	2	28	8,91	9	<i>Cecropia pachystachya</i>	Urticaceae
2	3	312	99,31	37	<i>Aspidosperma polyneuron</i>	Apocynaceae
2	4	28	8,91	11	<i>Jacaranda micratha</i>	Bignoniaceae
2	5	34	10,82	12	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
2	6	138	43,93	35	<i>Cordia trichotoma</i>	Boragianaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
2	7	17	5,41	9	<i>Nectandra lanceolata</i>	Lauraceae
2	8	167	53,16	35	<i>Alchornea triplinervia</i>	Euphorbiaceae
2	9	170	54,11	37	<i>Alchornea triplinervia</i>	Euphorbiaceae
2	10	153	48,70	37	<i>Cabralea canjerana</i>	Meliaceae
2	11	24	7,64	20	<i>Hovenia dulcis</i>	Rhamnaceae
2	12	55	17,51	20	<i>Campomanesia xanthocarpa</i>	Myrtaceae
2	13	38	12,10	17	<i>Jacaranda micratha</i>	Bignoniaceae
2	14	46	14,64	20	<i>Jacaranda micratha</i>	Bignoniaceae
2	15	20	6,37	18	<i>Jacaranda micratha</i>	Bignoniaceae
2	16	44	14,01	21	<i>Jacaranda micratha</i>	Bignoniaceae
2	17	98	31,19	20	<i>Ceiba speciosa</i>	Malvaceae
2	18	136	43,29	30	<i>Alchornea triplinervia</i>	Euphorbiaceae
2	19	117	37,24	35	<i>Psidium guajava</i>	Myrtaceae
2	20	130	41,38	30	<i>Matayba guianensis</i>	Sapindaceae
2	21	140	44,56	27	<i>Chrysomphyllum gonocarpum</i>	Sapotaceae
2	22	28	8,91	15	<i>Jacaranda micratha</i>	Bignoniaceae
2	23	81	25,78	14	<i>Miconia sp</i>	Melastomataceae
2	24	80	25,46	30	<i>Alchornea triplinervia</i>	Euphorbiaceae
2	25	25	7,96	10	<i>Allophylus edulis</i>	Sapindaceae
2	26	25	7,96	10	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
2	27	18	5,73	9	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
2	28	41	13,05	20	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
2	29	112	35,65	27	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae
2	30	72	22,92	32	<i>Jacaranda micratha</i>	Bignoniaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
2	31	27	8,59	18	<i>Jacaranda micratha</i>	Bignoniaceae
2	32	22	7,00	17	<i>Jacaranda micratha</i>	Bignoniaceae
2	33	115	36,61	38	<i>Lonchocarpus cultratus</i>	Fab. Faboideae
2	34	44	14,01	20	<i>Jacaranda micratha</i>	Bignoniaceae
2	35	22	7,00	9	<i>Jacaranda micratha</i>	Bignoniaceae
2	36	33	10,50	9	<i>Rudgea jasminoides</i>	Rubiaceae
2	37	34	10,82	9	<i>Rudgea jasminoides</i>	Rubiaceae
2	38	22	7,00	8	<i>Bastardiopsis densiflora</i>	Malvaceae
2	39	20	6,37	8	<i>Rudgea jasminoides</i>	Rubiaceae
2	40	20	6,37	10	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae
2	41	208	66,21	35	<i>Cabralea canjerana</i>	Meliaceae
2	42	76	24,19	38	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
2	43	32	10,19	20	<i>Cecropia pachystachya</i>	Urticaceae
2	44	18	5,73	10	<i>Cabralea canjerana</i>	Meliaceae
2	45	16	5,09	10	<i>Balfourodendron riedelianum</i>	Rutaceae
2	46	78	24,83	30	<i>Alchornea triplinervia</i>	Euphorbiaceae
2	47	38	12,10	23	<i>Prunus myrtifolia</i>	Rosaceae
3	1	111	35,33	23	<i>Blepharocalix salicifolius</i>	Myrtaceae
3	2	40	12,73	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
3	3	52	16,55	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	4	22	7,00	14	<i>Inga laurina</i>	Fab. Mimosoideae
3	5	32	10,19	15	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
3	6	50	15,92	14	<i>Cordia trichotoma</i>	Boragianaceae
3	7	19	6,05	16	<i>Xylosma ciliatifolia</i>	Salicaceae
3	8	36	11,46	15	<i>Jacaranda mimosifolia</i>	Bignoniaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
3	9	45	14,32	17	<i>Jacaranda micratha</i>	Bignoniaceae
3	10	39	12,41	17	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
3	11	66	21,01	26	<i>Hovenia dulcis</i>	Rhamnaceae
3	12	65	20,69	21	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
3	13	32	10,19	14	<i>Melia azedarach</i>	Meliaceae
3	14	38	12,10	12	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
3	15	27	8,59	22	<i>Prunus myrtifolia</i>	Rosaceae
3	16	22	7,00	11	<i>Myrsine umbellata</i>	Myrsinaceae
3	17	29	9,23	8	<i>Bixa orellana L.</i>	Bixaceae
3	18	25	7,96	12	<i>Jacaranda micratha</i>	Bignoniaceae
3	19	36	11,46	12	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
3	20	60	19,10	25	<i>Melia azedarach</i>	Meliaceae
3	21	30	9,55	17	<i>strychnos brasiliensis</i>	Loganiaceae
3	22	75	23,87	25	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
3	23	33	10,50	14	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
3	24	44	14,01	20	<i>Rollinea silvatica</i>	Annonaceae
3	25	20	6,37	16	<i>Myrsine umbellata</i>	Myrsinaceae
3	26	41	13,05	14	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
3	27	26	8,28	17	<i>Trema micrantha</i>	Cannabaceae
3	28	19	6,05	16	<i>Jacaranda micratha</i>	Bignoniaceae
3	29	48	15,28	20	<i>Rollinea silvatica</i>	Annonaceae
3	30	69	21,96	22	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	31	54	17,19	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	32	28	8,91	12	<i>Balfourodendron riedelianum</i>	Rutaceae
3	33	22	7,00	7	<i>Citrus sinensis</i>	Rutaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
3	34	25	7,96	13	<i>Jacaranda micratha</i>	Bignoniaceae
3	35	10	3,18	26	<i>Zanthoxylum riedelianum</i>	Rutaceae
3	36	110	35,01	19	<i>Casearia sylvestris</i>	Salicaceae
3	37	58	18,46	22	<i>Jacaranda micratha</i>	Bignoniaceae
3	38	111	35,33	31	<i>Inga uruguayensis</i>	Fab. Mimosoideae
3	39	90	28,65	33	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
3	40	25	7,96	10	<i>Miconia sp</i>	Melastomataceae
3	41	52	16,55	22	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	42	62	19,74	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	43	33	10,50	19	<i>Ilex theaezans</i>	Aquifoliaceae
3	44	48	15,28	17	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	45	59	18,78	17	<i>Miconia sp</i>	Melastomataceae
3	46	68	21,65	24	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	47	50	15,92	24	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	48	36	11,46	21	<i>Myrsine umbellata</i>	Myrsinaceae
3	49	36	11,46	14	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
3	50	18	5,73	10	<i>Nectandra lanceolata</i>	Lauraceae
3	51	120	38,20	36	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	52	40	12,73	28	<i>Hovenia dulcis</i>	Rhamnaceae
3	53	45	14,32	18	<i>Jacaranda micratha</i>	Bignoniaceae
3	54	36	11,46	19	<i>Jacaranda micratha</i>	Bignoniaceae
3	55	75	23,87	22	<i>Ceiba speciosa</i>	Malvaceae
3	56	99	31,51	35	<i>Psidium guajava</i>	Myrtaceae
3	57	152	48,38	29	<i>Chrysomphyllum gonocarpum</i>	Sapotaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
3	58	150	47,75	32	<i>Nectandra lanceolata</i>	Lauraceae
3	59	121	38,52	25	<i>Alchornea triplinervia</i>	Euphorbiaceae
3	60	120	38,20	16	<i>Miconia sp</i>	Melastomataceae
3	61	28	8,91	12	<i>Casearia decandra</i>	Salicaceae
3	62	26	8,28	10	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
3	63	116	36,92	26	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae
3	64	29	9,23	20	<i>Jacaranda micratha</i>	Bignoniaceae
3	65	110	35,01	32	<i>Lonchocarpus cultratus</i>	Fab. Faboideae
3	66	26	8,28	12	<i>Jacaranda micratha</i>	Bignoniaceae
3	67	28	8,91	12	<i>Rudgea jasminoides</i>	Rubiaceae
3	68	30	9,55	12	<i>Rudgea jasminoides</i>	Rubiaceae
3	69	120	38,20	30	<i>Cabralea canjerana</i>	Meliaceae
3	70	62	19,74	26	<i>Cecropia pachystachya</i>	Urticaceae
3	71	29	9,23	11	<i>Balfourodendron riedelianum</i>	Rutaceae
3	72	45	14,32	24	<i>Prunus myrtifolia</i>	Rosaceae
4	1	21	6,68	9	<i>Citrus sinensis</i>	Rutaceae
4	2	28	8,91	23	<i>Guarea macrophylla</i>	Meliaceae
4	3	88	28,01	25	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	4	118	37,56	36	<i>Ficus enormis</i>	Moraceae
4	5	55	17,51	22	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	6	29	9,23	9	<i>Guarea kunthiana</i>	Meliaceae
4	7	56	17,83	17	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
4	8	22	7,00	18	<i>Ilex paraguayensis</i>	Aquifoliaceae
4	9	75	23,87	20	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	10	39	12,41	17	<i>Alchornea triplinervia</i>	Euphorbiaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
4	11	20	6,37	9	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	12	23	7,32	18	<i>Solanum granulosum</i>	Solanaceae
4	13	17	5,41	14	<i>Zanthoxylum riedelianum</i>	Rutaceae
4	14	80	25,46	12	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
4	15	72	22,92	18	<i>Ocotea puberola</i>	Lauraceae
4	16	53	16,87	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	17	26	8,28	18	<i>Rollinea silvatica</i>	Annonaceae
4	18	80	25,46	27	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	19	59	18,78	21	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	20	100	31,83	26	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	21	36	11,46	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	22	42	13,37	21	<i>Cecropia pachystachya</i>	Urticaceae
4	23	26	8,28	12	<i>Cabralea canjerana</i>	Meliaceae
4	24	19	6,05	14	<i>Casearia sylvestris</i>	Salicaceae
4	25	29	9,23	11	<i>Miconia sp</i>	Melastomataceae
4	26	60	19,10	20	<i>Cabralea canjerana</i>	Meliaceae
4	27	32	10,19	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	28	60	19,10	17	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	29	52	16,55	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	30	28	8,91	11	<i>Zanthoxylum riedelianum</i>	Rutaceae
4	31	22	7,00	12	<i>Nectandra lanceolata</i>	Lauraceae
4	32	41	13,05	16	<i>Cabralea canjerana</i>	Meliaceae
4	33	112	35,65	19	<i>Campomanesia xanthocarpa</i>	Myrtaceae
4	34	36	11,46	14	<i>Jacaranda micratha</i>	Bignoniaceae
4	35	39	12,41	20	<i>Zanthoxylum riedelianum</i>	Rutaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
4	36	28	8,91	20	<i>Nectandra lanceolata</i>	Lauraceae
4	37	48	15,28	15	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	38	40	12,73	16	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	39	72	22,92	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	40	70	22,28	26	<i>Jacaranda micratha</i>	Bignoniaceae
4	41	39	12,41	14	<i>Myrsiaria floribunda</i>	Nyctaginaceae
4	42	36	11,46	14	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	43	122	38,83	32	<i>Nectandra lanceolata</i>	Lauraceae
4	44	129	41,06	21	<i>Cabralea canjerana</i>	Meliaceae
4	45	39	12,41	17	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	46	56	17,83	18	<i>Rollinea silvatica</i>	Annonaceae
4	47	29	9,23	12	<i>Cecropia pachystachya</i>	Urticaceae
4	48	22	7,00	12	<i>Jacaranda micratha</i>	Bignoniaceae
4	49	98	31,19	32	<i>Cordia trichotoma</i>	Boragianaceae
4	50	136	43,29	32	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	51	121	38,52	35	<i>Cabralea canjerana</i>	Meliaceae
4	52	50	15,92	21	<i>Campomanesia xanthocarpa</i>	Myrtaceae
4	53	40	12,73	21	<i>Jacaranda micratha</i>	Bignoniaceae
4	54	40	12,73	23	<i>Jacaranda micratha</i>	Bignoniaceae
4	55	111	35,33	29	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	56	119	37,88	28	<i>Matayba guianensis</i>	Sapindaceae
4	57	26	8,28	16	<i>Jacaranda micratha</i>	Bignoniaceae
4	58	76	24,19	28	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	59	32	10,19	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	60	48	15,28	18	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
4	61	70	22,28	28	<i>Jacaranda micratha</i>	Bignoniaceae
4	62	17	5,41	18	<i>Eugenia sp</i>	Myrtaceae
4	63	33	10,50	19	<i>Jacaranda micratha</i>	Bignoniaceae
4	64	47	14,96	14	<i>Rudgea jasminoides</i>	Rubiaceae
4	65	29	9,23	11	<i>Rudgea jasminoides</i>	Rubiaceae
4	66	22	7,00	10	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae
4	67	78	24,83	38	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
4	68	22	7,00	12	<i>Cabralea canjerana</i>	Meliaceae
4	69	88	28,01	31	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	70	120	38,20	24	<i>Blepharocalix salicifolius</i>	Myrtaceae
4	71	35	11,14	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	72	49	15,60	20	<i>Jacaranda micratha</i>	Bignoniaceae
4	73	80	25,46	22	<i>Hovenia dulcis</i>	Rhamnaceae
4	74	20	6,37	11	<i>Melia azedarach</i>	Meliaceae
4	75	26	8,28	18	<i>Prunus myrtifolia</i>	Rosaceae
4	76	24	7,64	10	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	77	30	9,55	12	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
4	78	28	8,91	11	<i>strychnos brasiliensis</i>	Loganiaceae
4	79	29	9,23	12	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
4	80	62	19,74	22	<i>Cordia trichotoma</i>	Boragianaceae
4	81	53	16,87	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
4	82	17	5,41	14	<i>Myrsine umbellata</i>	Myrsinaceae
4	83	28	8,91	16	<i>Trema micrantha</i>	Cannabaceae
4	84	47	14,96	22	<i>Rollinea silvatica</i>	Annonaceae
4	85	52	16,55	22	<i>Alchornea triplinervia</i>	Euphorbiaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
4	86	26	8,28	11	<i>Citrus sinensis</i>	Rutaceae
4	87	35	11,14	26	<i>Zanthoxylum riedelianum</i>	Rutaceae
4	88	20	6,37	21	<i>Jacaranda micratha</i>	Bignoniaceae
4	89	56	17,83	30	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
5	1	136	43,29	22	<i>Blepharocalix salicifolius</i>	Myrtaceae
5	2	45	14,32	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	3	62	19,74	18	<i>Jacaranda micratha</i>	Bignoniaceae
5	4	69	21,96	27	<i>Hovenia dulcis</i>	Rhamnaceae
5	5	39	12,41	15	<i>Melia azedarach</i>	Meliaceae
5	6	39	12,41	23	<i>Prunus myrtifolia</i>	Rosaceae
5	7	32	10,19	12	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	8	45	14,32	13	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	9	42	13,37	18	<i>strychnos brasiliensis</i>	Loganiaceae
5	10	39	12,41	15	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
5	11	60	19,10	15	<i>Cordia trichotoma</i>	Boragianaceae
5	12	62	19,74	19	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	13	27	8,59	17	<i>Myrsine umbellata</i>	Myrsinaceae
5	14	32	10,19	16	<i>Trema micrantha</i>	Cannabaceae
5	15	56	17,83	21	<i>Rollinea silvatica</i>	Annonaceae
5	16	62	19,74	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	17	29	9,23	11	<i>Citrus sinensis</i>	Rutaceae
5	18	14	4,46	27	<i>Zanthoxylum riedelianum</i>	Rutaceae
5	19	64	20,37	23	<i>Jacaranda micratha</i>	Bignoniaceae
5	20	62	19,74	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	21	21	6,68	20	<i>Ilex theaezans</i>	Aquifoliaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
5	22	23	7,32	13	<i>Miconia sp</i>	Melastomataceae
5	23	60	19,10	25	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	24	38	12,10	15	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
5	25	99	31,51	37	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	26	55	17,51	19	<i>Jacaranda micratha</i>	Bignoniaceae
5	27	76	24,19	23	<i>Ceiba speciosa</i>	Malvaceae
5	28	140	44,56	29	<i>Chrysomphyllum gonocarpum</i>	Sapotaceae
5	29	30	9,55	13	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	30	125	39,79	25	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae
5	31	100	31,83	31	<i>Lonchocarpus cultratus</i>	Fab. Faboideae
5	32	30	9,55	14	<i>Rudgea jasminoides</i>	Rubiaceae
5	33	132	42,02	29	<i>Cabralea canjerana</i>	Meliaceae
5	34	35	11,14	14	<i>Balfourodendron riedelianum</i>	Rutaceae
5	35	62	19,74	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	36	62	19,74	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	37	29	9,23	8	<i>Citrus sinensis</i>	Rutaceae
5	38	36	11,46	24	<i>Eriobotrya japonica</i>	Rosaceae
5	39	70	22,28	26	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	40	141	44,88	35	<i>Ficus enormis</i>	Moraceae
5	41	62	19,74	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	42	36	11,46	10	<i>Guarea kunthiana</i>	Meliaceae
5	43	29	9,23	19	<i>Ilex paraguayensis</i>	Aquifoliaceae
5	44	90	28,65	21	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	45	42	13,37	18	<i>Alchornea triplinervia</i>	Euphorbiaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
5	46	39	12,41	10	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	47	28	8,91	17	<i>Solanum granulosum</i>	Solanaceae
5	48	28	8,91	15	<i>Zanthoxylum riedelianum</i>	Rutaceae
5	49	80	25,46	21	<i>Ocotea puberola</i>	Lauraceae
5	50	36	11,46	20	<i>Rollinea silvatica</i>	Annonaceae
5	51	42	13,37	22	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	52	42	13,37	20	<i>Cecropia pachystachya</i>	Urticaceae
5	53	26	8,28	17	<i>Casearia sylvestris</i>	Salicaceae
5	54	82	26,10	28	<i>Cabralea canjerana</i>	Meliaceae
5	55	92	29,28	26	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	56	29	9,23	11	<i>Nectandra lanceolata</i>	Lauraceae
5	57	103	32,79	28	<i>Campomanesia xanthocarpa</i>	Myrtaceae
5	58	41	13,05	21	<i>Zanthoxylum riedelianum</i>	Rutaceae
5	59	49	15,60	17	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	60	84	26,74	25	<i>Jacaranda micratha</i>	Bignoniaceae
5	61	46	14,64	13	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	62	100	31,83	22	<i>Cabralea canjerana</i>	Meliaceae
5	63	30	9,55	10	<i>Maclura tinctoria.</i>	Moraceae
5	64	78	24,83	30	<i>Cordia trichotoma</i>	Boragianaceae
5	65	124	39,47	32	<i>Cabralea canjerana</i>	Meliaceae
5	66	60	19,10	22	<i>Jacaranda micratha</i>	Bignoniaceae
5	67	98	31,19	30	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	68	22	7,00	15	<i>Jacaranda micratha</i>	Bignoniaceae
5	69	51	16,23	13	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
5	70	80	25,46	29	<i>Jacaranda micratha</i>	Bignoniaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
5	71	40	12,73	18	<i>Jacaranda micratha</i>	Bignoniaceae
5	72	33	10,50	14	<i>Rudgea jasminoides</i>	Rubiaceae
5	73	79	25,15	35	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
5	74	82	26,10	29	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	75	39	12,41	17	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
5	76	88	28,01	20	<i>Hovenia dulcis</i>	Rhamnaceae
5	77	19	6,05	16	<i>Prunus myrtifolia</i>	Rosaceae
5	78	201	63,98	36	<i>Nectandra lanceolata</i>	Lauraceae
5	79	36	11,46	28	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
5	80	30	9,55	13	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
5	81	60	19,10	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	82	32	10,19	17	<i>Trema micrantha</i>	Cannabaceae
5	83	62	19,74	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
5	84	34	10,82	22	<i>Zanthoxylum riedelianum</i>	Rutaceae
5	85	46	14,64	31	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
6	1	25	7,96	12	<i>Myrsine umbellata</i>	Myrsinaceae
6	2	45	14,32	15	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
6	3	26	8,28	13	<i>Cupania vernalis</i> Cambess.	Sapindaceae
6	4	68	21,65	26	<i>Melia azedarach</i>	Meliaceae
6	5	69	21,96	22	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
6	6	25	7,96	13	<i>Inga laurina</i>	Fab. Mimosoideae
6	7	22	7,00	16	<i>Xylosma ciliatifolia</i>	Salicaceae
6	8	46	14,64	19	<i>Rollinea silvatica</i>	Annonaceae
6	9	46	14,64	20	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
6	10	22	7,00	17	<i>Jacaranda micratha</i>	Bignoniaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
6	11	78	24,83	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	12	29	9,23	13	<i>Balfourodendron riedelianum</i>	Rutaceae
6	13	22	7,00	14	<i>Jacaranda micratha</i>	Bignoniaceae
6	14	20	6,37	11	<i>Casearia sylvestris</i>	Salicaceae
6	15	126	40,11	31	<i>Inga uruguayensis</i>	Fab. Mimosoideae
6	16	24	7,64	11	<i>Miconia sp</i>	Melastomataceae
6	17	50	15,92	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	18	42	13,37	16	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
6	19	45	14,32	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	20	41	13,05	18	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
6	21	63	20,05	25	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	22	32	10,19	21	<i>Myrsine umbellata</i>	Myrsinaceae
6	23	20	6,37	11	<i>Nectandra lanceolata</i>	Lauraceae
6	24	49	15,60	28	<i>Hovenia dulcis</i>	Rhamnaceae
6	25	38	12,10	19	<i>Jacaranda micratha</i>	Bignoniaceae
6	26	60	19,10	35	<i>Psidium guajava</i>	Myrtaceae
6	27	69	21,96	26	<i>Miconia sp</i>	Melastomataceae
6	28	39	12,41	20	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
6	29	32	10,19	20	<i>Jacaranda micratha</i>	Bignoniaceae
6	30	31	9,87	14	<i>Jacaranda micratha</i>	Bignoniaceae
6	31	36	11,46	14	<i>Rudgea jasminoides</i>	Rubiaceae
6	32	71	22,60	27	<i>Cecropia pachystachya</i>	Urticaceae
6	33	52	16,55	25	<i>Prunus myrtifolia</i>	Rosaceae
6	34	57	18,14	15	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
6	35	52	16,55	15	<i>Peschiera fuchsiaefolia</i>	Apocynaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
6	36	23	7,32	11	<i>Citrus sinensis</i>	Rutaceae
6	37	92	29,28	26	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
6	38	56	17,83	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	39	57	18,14	18	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
6	40	78	24,83	19	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
6	41	21	6,68	11	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
6	42	19	6,05	15	<i>Zanthoxylum riedelianum</i>	Rutaceae
6	43	86	27,37	19	<i>Ocotea puberola</i>	Lauraceae
6	44	97	30,88	28	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	45	30	9,55	13	<i>Cabralea canjerana</i>	Meliaceae
6	46	31	9,87	12	<i>Miconia sp</i>	Melastomataceae
6	47	39	12,41	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
6	48	36	11,46	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	49	49	15,60	18	<i>Zanthoxylum riedelianum</i>	Rutaceae
6	50	69	21,96	22	<i>Cabralea canjerana</i>	Meliaceae
6	51	37	11,78	15	<i>Jacaranda micratha</i>	Bignoniaceae
6	52	29	9,23	21	<i>Nectandra lanceolata</i>	Lauraceae
6	53	78	24,83	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	54	42	13,37	19	<i>Myrsiaria floribunda</i>	Nyctaginaceae
6	55	132	42,02	30	<i>Nectandra lanceolata</i>	Lauraceae
6	56	62	19,74	18	<i>Rollinea silvatica</i>	Annonaceae
6	57	25	7,96	12	<i>Jacaranda micratha</i>	Bignoniaceae
6	58	148	47,11	33	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	59	60	19,10	22	<i>Campomanesia xanthocarpa</i>	Myrtaceae
6	60	60	19,10	21	<i>Jacaranda micratha</i>	Bignoniaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
6	61	98	31,19	29	<i>Matayba guianensis</i>	Sapindaceae
6	62	85	27,06	27	<i>Alchornea triplinervia</i>	Euphorbiaceae
6	63	56	17,83	22	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
6	64	22	7,00	19	<i>Jacaranda micratha</i>	Bignoniaceae
6	65	56	17,83	21	<i>Rudgea jasminoides</i>	Rubiaceae
6	66	31	9,87	11	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae
6	67	36	11,46	13	<i>Cabralea canjerana</i>	Meliaceae
6	68	111	35,33	25	<i>Blepharocalix salicifolius</i>	Myrtaceae
6	69	51	16,23	21	<i>Jacaranda micratha</i>	Bignoniaceae
6	70	23	7,32	12	<i>Melia azedarach</i>	Meliaceae
6	71	25	7,96	11	<i>Citrus limonia</i> Osbeck	Rutaceae
6	72	29	9,23	12	<i>strychnos brasiliensis</i>	Loganiaceae
6	73	63	20,05	23	<i>Cordia trichotoma</i>	Boragianaceae
6	74	18	5,73	12	<i>Myrsine umbellata</i>	Myrsinaceae
6	75	50	15,92	20	<i>Rollinea silvatica</i>	Annonaceae
6	76	32	10,19	10	<i>Citrus sinensis</i>	Rutaceae
6	77	26	8,28	20	<i>Jacaranda micratha</i>	Bignoniaceae
6	78	141	44,88	34	<i>Ficus enormis</i>	Moraceae
7	1	33	10,50	19	<i>Jacaranda micratha</i>	Bignoniaceae
7	2	66	21,01	21	<i>Ceiba speciosa</i>	Malvaceae
7	3	60	19,10	28	<i>Chrysomphyllum gonocarpum</i>	Sapotaceae
7	4	58	18,46	26	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	5	26	8,28	13	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	6	87	27,69	27	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
7	7	69	21,96	32	<i>Lonchocarpus cultratus</i>	Fab. Faboideae
7	8	29	9,23	14	<i>Rudgea jasminoides</i>	Rubiaceae
7	9	56	17,83	28	<i>Cabralea canjerana</i>	Meliaceae
7	10	30	9,55	12	<i>Balfourodendron riedelianum</i>	Rutaceae
7	11	32	10,19	17	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
7	12	75	23,87	36	<i>Ficus enormis</i>	Moraceae
7	13	30	9,55	10	<i>Guarea kunthiana</i>	Meliaceae
7	14	32	10,19	16	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
7	15	25	7,96	19	<i>Cordia ecalyculata</i> Vell.	Boraginaceae
7	16	30	9,55	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	17	24	7,64	18	<i>Solanum granulosum</i>	Solanaceae
7	18	32	10,19	20	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
7	19	65	20,69	14	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
7	20	26	8,28	19	<i>Rollinea silvatica</i>	Annonaceae
7	21	47	14,96	20	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
7	22	48	15,28	17	<i>Peschiera fuchsiaefolia</i>	Apocynaceae
7	23	40	12,73	20	<i>Cecropia pachystachya</i>	Urticaceae
7	24	21	6,68	15	<i>Casearia sylvestris</i>	Salicaceae
7	25	32	10,19	19	<i>Cabralea canjerana</i>	Meliaceae
7	26	36	11,46	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	27	22	7,00	15	<i>Nectandra lanceolata</i>	Lauraceae
7	28	47	14,96	19	<i>Campomanesia xanthocarpa</i>	Myrtaceae
7	29	39	12,41	19	<i>Zanthoxylum riedelianum</i>	Rutaceae
7	30	39	12,41	17	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	31	65	20,69	22	<i>Jacaranda micratha</i>	Bignoniaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
7	32	35	11,14	16	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	33	98	31,19	22	<i>Cabralea canjerana</i>	Meliaceae
7	34	29	9,23	13	<i>Cecropia pachystachya</i>	Urticaceae
7	35	68	21,65	32	<i>Cabralea canjerana</i>	Meliaceae
7	36	41	13,05	20	<i>Jacaranda micratha</i>	Bignoniaceae
7	37	96	30,56	25	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	38	28	8,91	17	<i>Jacaranda micratha</i>	Bignoniaceae
7	39	32	10,19	15	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	40	71	22,60	27	<i>Croton urucurana</i> Baill.	Euphorbiaceae
7	41	36	11,46	21	<i>Jacaranda micratha</i>	Bignoniaceae
7	42	22	7,00	21	<i>Rudgea jasminoides</i>	Rubiaceae
7	43	66	21,01	30	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
7	44	69	21,96	32	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	45	36	11,46	17	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	46	74	23,55	23	<i>Hovenia dulcis</i>	Rhamnaceae
7	47	27	8,59	19	<i>Prunus myrtifolia</i>	Rosaceae
7	48	31	9,87	13	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	49	31	9,87	14	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
7	50	48	15,28	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	51	36	11,46	17	<i>Trema micrantha</i>	Cannabaceae
7	52	41	13,05	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	53	33	10,50	27	<i>Zanthoxylum riedelianum</i>	Rutaceae
7	54	65	20,69	31	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
7	55	51	16,23	18	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	56	74	23,55	26	<i>Hovenia dulcis</i>	Rhamnaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
7	57	49	15,60	22	<i>Prunus myrtifolia</i>	Rosaceae
7	58	36	11,46	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	59	37	11,78	16	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
7	60	58	18,46	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	61	36	11,46	17	<i>Trema micrantha</i>	Cannabaceae
7	62	67	21,33	21	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	63	12	3,82	28	<i>Zanthoxylum riedelianum</i>	Rutaceae
7	64	85	27,06	30	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
7	65	21	6,68	21	<i>Ilex theaezans</i>	Aquifoliaceae
7	66	55	17,51	24	<i>Alchornea triplinervia</i>	Euphorbiaceae
7	67	50	15,92	25	<i>Ceiba speciosa</i>	Malvaceae
7	68	30	9,55	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	69	98	31,19	30	<i>Lonchocarpus cultratus</i>	Fab. Faboideae
7	70	114	36,29	30	<i>Cabralea canjerana</i>	Meliaceae
7	71	68	21,65	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
7	72	35	11,14	14	<i>Citrus sinensis</i>	Rutaceae
7	73	65	20,69	24	<i>Zanthoxylum riedelianum</i>	Rutaceae
8	1	37	11,78	13	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
8	2	21	6,68	8	<i>Citrus sinensis</i>	Rutaceae
8	3	23	7,32	10	<i>Melia azedarach</i>	Meliaceae
8	4	49	15,60	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	5	27	8,59	17	<i>Prunus myrtifolia</i>	Rosaceae
8	6	16	5,09	8	<i>Guarea kunthiana</i>	Meliaceae
8	7	22	7,00	10	<i>Myrsine umbellata</i>	Myrsinaceae
8	8	46	14,64	18	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
8	9	27	8,59	9	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	10	42	13,37	14	<i>Ilex paraguayensis</i>	Aquifoliaceae
8	11	26	8,28	13	<i>Bauhinia forficata</i>	Fab. Caesalpinioideae
8	12	15	4,77	12	<i>Inga laurina</i>	Fab. Mimosoideae
8	13	50	15,92	18	<i>Cordia trichotoma</i>	Boragianaceae
8	14	21	6,68	12	<i>Xylosma ciliatifolia</i>	Salicaceae
8	15	47	14,96	16	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	16	41	13,05	18	<i>Rollinea silvatica</i>	Annonaceae
8	17	39	12,41	18	<i>Rollinea silvatica</i>	Annonaceae
8	18	20	6,37	14	<i>Miconia sp</i>	Melastomataceae
8	19	61	19,42	20	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	20	63	20,05	28	<i>Jacaranda micratha</i>	Bignoniaceae
8	21	28	8,91	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
8	22	44	14,01	16	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	23	42	13,37	15	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	24	24	7,64	11	<i>Miconia sp</i>	Melastomataceae
8	25	191	60,80	37	<i>Nectandra lanceolata</i>	Lauraceae
8	26	35	11,14	14	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
8	27	59	18,78	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	28	137	43,61	22	<i>Blepharocalix salicifolius</i>	Myrtaceae
8	29	64	20,37	18	<i>Jacaranda micratha</i>	Bignoniaceae
8	30	42	13,37	15	<i>Melia azedarach</i>	Meliaceae
8	31	31	9,87	12	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	32	40	12,73	18	<i>strychnos brasiliensis</i>	Loganiaceae
8	33	39	12,41	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
8	34	57	18,14	15	<i>Cordia trichotoma</i>	Boragianaceae
8	35	28	8,91	17	<i>Myrsine umbellata</i>	Myrsinaceae
8	36	58	18,46	21	<i>Rollinea silvatica</i>	Annonaceae
8	37	32	10,19	11	<i>Citrus sinensis</i>	Rutaceae
8	38	63	20,05	23	<i>Jacaranda micratha</i>	Bignoniaceae
8	39	60	19,10	23	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	40	20	6,37	13	<i>Miconia sp</i>	Melastomataceae
8	41	56	17,83	19	<i>Jacaranda micratha</i>	Bignoniaceae
8	42	142	45,20	29	<i>Chrysomphyllum gonocarpum</i>	Sapotaceae
8	43	60	19,10	25	<i>Peltophorum dubium</i>	Fab. Caesalpinioideae
8	44	29	9,23	14	<i>Rudgea jasminoides</i>	Rubiaceae
8	45	33	10,50	14	<i>Balfourodendron riedelianum</i>	Rutaceae
8	46	59	18,78	16	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
8	47	37	11,78	24	<i>Peschiera fuchsiaeefolia</i>	Apocynaceae
8	48	39	12,41	10	<i>Guarea kunthiana</i>	Meliaceae
8	49	28	8,91	19	<i>Ilex paraguayensis</i>	Aquifoliaceae
8	50	40	12,73	18	<i>Alchornea triplinervia</i>	Euphorbiaceae
8	51	25	7,96	17	<i>Solanum granulatum</i>	Solanaceae
8	52	103	32,79	22	<i>Hymenaea courbaril</i>	Fab. Caesalpinioideae
8	53	38	12,10	20	<i>Rollinea silvatica</i>	Annonaceae
8	54	45	14,32	20	<i>Cecropia pachystachya</i>	Urticaceae
8	55	28	8,91	11	<i>Nectandra lanceolata</i>	Lauraceae
8	56	39	12,41	21	<i>Zanthoxylum riedelianum</i>	Rutaceae
8	57	81	25,78	25	<i>Jacaranda micratha</i>	Bignoniaceae

PARCELA	n	CAP (cm)	DAP (cm)	ALTURA (m)	ESPÉCIE	FAMILIA
8	58	79	25,15	30	<i>Cordia trichotoma</i>	Boragianaceae
8	59	53	16,87	13	<i>Peschiera fuchsiaefolia</i>	Apocynaceae